
| | | | |
|-----------------------------------------------------------------|------------------------------------|---------------------------|---------------------------|
| Document filename: HSCIC ITK HL7 V2 Reference Tables.pdf | | | |
| Directorate / Programme | ISD | Project | <insert> |
| Document Reference | | Document Reference | NPFIT-ELIBR-AREL-DST-0376 |
| Project Manager | Richard Kavanagh | Status | Approved |
| Owner | Richard Kavanagh | Version | 1.0.14 |
| Author | Keith Naylor / Prashant Trivedi | Version issue date | 30/06/2014 |

HSCIC ITK - Interoperability Message Specification Reference Tables

Document Management

Revision History

| Version | Date | Summary of Changes |
|---------|------------|---------------------------------------------------------------------------|
| 0.1 | 22-09-2009 | First draft for comment |
| 1.0 | 30-11-2009 | Approved for release |
| 1.0.6 | 31-12-2009 | Updated release version |
| 1.0.7 | 06-01-2010 | Updated release version with additional tables and HL7 Chapter references |
| 1.0.8 | 16-03-2010 | Updated release version |
| 1.0.10 | 27-04-2010 | Updated table numbers which are used in ZU segments |
| 1.0.11 | 11-01-2011 | Updated 0069, 0112, 0113 and other minor changes. |
| 1.0.12 | 19-05-2011 | Status updated to Approved |
| 1.0.13 | 10-05-2012 | Updated with default codes for vocabularies and references |
| 1.0.14 | 30-06-2014 | Document re-branded to HSCIC template |

Reviewers

This document must be reviewed by the following people:

| Reviewer name | Title / Responsibility | Date | Version |
|------------------|-----------------------------------------|------|---------|
| Keith Naylor | Head of DS&P Implementation | | |
| Richard Kavanagh | Head of Interoperability Specifications | | |
| | | | |

Approved by

This document must be approved by the following people:

| Name | Signature | Title | Date | Version |
|------------------|-----------|---------------------------------------------|------|---------|
| Richard Kavanagh | | Head of Interoperability Specification Team | | |
| | | | | |

Glossary of Terms

| Term / Abbreviation | What it stands for |
|---------------------|--------------------|
|---------------------|--------------------|

Document Control:

The controlled copy of this document is maintained in the HSCIC corporate network. Any copies of this document held outside of that area, in whatever format (e.g. paper, email attachment), are considered to have passed out of control and should be checked for currency and validity.

Contents

| | | |
|----------|-----------------------------------------------------------------------|----------|
| 1 | Introduction | 8 |
| 2 | Purpose of Document | 8 |
| 3 | Audience | 8 |
| 4 | Reference Table Definitions | 9 |
| 4.1 | User Table 0001 - Administrative Sex | 9 |
| 4.2 | User Table 0002 - Marital Status | 10 |
| 4.3 | User Table 0004 - Patient Class | 11 |
| 4.4 | User Table 0006 - Religion | 11 |
| 4.5 | User Table 0007 - Admission Type | 20 |
| 4.6 | HL7 Table 0008 - Acknowledgment code | 22 |
| 4.7 | User Table 0009 - Ambulatory status | 23 |
| 4.8 | User Table 0010 - Physician ID | 23 |
| 4.9 | User Table 0018 - Patient Type | 24 |
| 4.10 | User Table 0019 - Anaesthesia code | 24 |
| 4.11 | User Table 0023 - Admit source | 25 |
| 4.12 | User Table 0051 - Diagnosis code | 27 |
| 4.13 | User Table 0052 - Diagnosis type | 28 |
| 4.14 | User Table 0059 - Consent code | 28 |
| 4.15 | User Table 0063 - Relationship | 28 |
| 4.16 | User Table 0069 - Hospital Service | 30 |
| 4.17 | HL7 Table 0076 - Message type | 36 |
| 4.18 | User Table 0078 - Abnormal Flags | 41 |
| 4.19 | HL7 Table 0080 - Nature of abnormal test | 42 |
| 4.20 | HL7 Table 0085 - Observation result status codes interpretation | 42 |
| 4.21 | User Table 0088 - Procedure Code | 43 |
| 4.22 | HL7 Table 0091 - Query priority | 43 |
| 4.23 | User Table 0092 - Readmission Indicator | 44 |
| 4.24 | User Table 0099 - VIP indicator | 44 |
| 4.25 | HL7 Table 0102 - Delayed acknowledgment type | 44 |
| 4.26 | HL7 Table 0104 - Version ID | 44 |
| 4.27 | User Table 0112 - Discharge disposition | 45 |
| 4.28 | User Table 0113 - Discharge to location | 46 |
| 4.29 | User Table 0114 - Diet type | 48 |

| | | |
|------|----------------------------------------------------------------|----|
| 4.30 | HL7 Table 0125 - Value type..... | 49 |
| 4.31 | HL7 Table 0126 - Quantity limited request..... | 50 |
| 4.32 | User Table 0127 - Allergy type..... | 50 |
| 4.33 | User Table 0128 - Allergy severity | 51 |
| 4.34 | User Table 0131 - Contact Role..... | 51 |
| 4.35 | HL7 Table 0136 - Yes/no indicator..... | 51 |
| 4.36 | User Table 0171 - Citizenship (Overseas Visitor Status) | 52 |
| 4.37 | User Table 0189 - Ethnic group | 52 |
| 4.38 | HL7 Table 0190 - Address type..... | 54 |
| 4.39 | HL7 Table 0200 - Name type | 55 |
| 4.40 | HL7 Table 0201 - Telecommunication use code | 56 |
| 4.41 | HL7 Table 0202 - Telecommunication equipment type | 58 |
| 4.42 | User Table 0204 - Organizational name type..... | 59 |
| 4.43 | HL7 Table 0208 - Query response status | 59 |
| 4.44 | HL7 Table 0211 - Character set..... | 59 |
| 4.45 | User Table 0212 – Nationality | 60 |
| 4.46 | User Table 0217 - Visit priority code | 61 |
| 4.47 | User Table 0220 - Living arrangement..... | 61 |
| 4.48 | User Table 0228 - Diagnosis classification | 61 |
| 4.49 | User Table 0230 - Procedure functional type | 62 |
| 4.50 | User Table 0277 - Appointment type codes | 62 |
| 4.51 | User Table 0289 - County/parish code..... | 63 |
| 4.52 | User Table 0296 - Primary language | 63 |
| 4.53 | User Table 0340 - Procedure Code modifier..... | 69 |
| 4.54 | HL7 Table 0356 - Alternate character set handling scheme | 70 |
| 4.55 | HL7 Table 0357 - Message error condition codes..... | 70 |
| 4.56 | HL7 Table 0359 - Diagnosis priority | 71 |
| 4.57 | User Table 0361 - Sending/receiving application..... | 71 |
| 4.58 | User Table 0362 - Sending/receiving facility | 72 |
| 4.59 | User Table 0363 - Assigning authority | 72 |
| 4.60 | HL7 Table 0391 - Segment group..... | 73 |
| 4.61 | HL7 Table 0392 - Match reason..... | 73 |
| 4.62 | User Table 0393 - Match algorithms | 73 |
| 4.63 | HL7 Table 0394 - Response modality | 74 |
| 4.64 | HL7 Table 0395 - Modify indicator | 74 |
| 4.65 | User Table 0396 - Coding System | 74 |
| 4.66 | HL7 Table 0398 - Continuation style code | 77 |

| | | |
|-------|-------------------------------------------------------------------|-----|
| 4.67 | HL7 Table 0399 - Country code | 77 |
| 4.68 | User Table 0416 - Procedure DRG type | 86 |
| 4.69 | User Table 0417 - Tissue type code | 86 |
| 4.70 | HL7 Table 0418 - Procedure priority | 87 |
| 4.71 | User Table 0430 - Mode of arrival code | 87 |
| 4.72 | User Table 0445 - Identity Reliability Code | 88 |
| 4.73 | HL7 Table 0465 - Name/address representation | 89 |
| 4.74 | User Table 0471 - Message Query name | 89 |
| 4.75 | User Table ZU001 - Admit Reason | 90 |
| 4.76 | User Table ZU002 - Allergy Code/Description | 90 |
| 4.77 | User Table ZU003 - Anaesthetic Given During Labour/Delivery | 92 |
| 4.78 | User Table ZU004 - Anaesthetic Given Post Labour/Delivery | 93 |
| 4.79 | User Table ZU005 - Assigning Facility | 94 |
| 4.80 | User Table ZU006 – Attendance Class | 94 |
| 4.81 | User Table ZU007 - Attended or DNA..... | 95 |
| 4.82 | User Table ZU008 - Borrowed Bed Specialty | 95 |
| 4.83 | User Table ZU009 - Cancelled By..... | 95 |
| 4.84 | User Table ZU010 – Coding Status | 96 |
| 4.85 | User Table ZU011 - Consent to Share Indicator | 96 |
| 4.86 | User Table ZU012 - Consultant’s main specialty | 96 |
| 4.87 | User Table ZU013 - Diary Type | 97 |
| 4.88 | User Table ZU014 - First Regular Day or Night Admission..... | 97 |
| 4.89 | User Table ZU015 - Hospital Service - specialty..... | 97 |
| 4.90 | User Table ZU016 - Initiator of suspension..... | 98 |
| 4.91 | User Table ZU017 - Intended Clinical Care Intensity | 98 |
| 4.92 | User Table ZU018 - Labour/Delivery Onset Method | 100 |
| 4.93 | User Table ZU019 - Medical staff type seeing patient..... | 101 |
| 4.94 | User Table ZU020 - Neonatal level of care | 101 |
| 4.95 | User Table ZU021 - Observation Method | 102 |
| 4.96 | User Table ZU022 - Outcome of Attendance | 103 |
| 4.97 | User Table ZU023- Outcome of offer of admission | 103 |
| 4.98 | User Table ZU024- Patient Age Sex Mix | 104 |
| 4.99 | User Table ZU025 - Producer’s ID | 104 |
| 4.100 | User Table ZU026 - Psychiatric Admission Status..... | 105 |
| 4.101 | User Table ZU027 - Reason for exceeding Guarantee Date | 106 |
| 4.102 | User Table ZU028 - Referral Receipt Method..... | 106 |
| 4.103 | User Table ZU029 - Removal/Reinstate reason..... | 106 |

| | | |
|-------|-------------------------------------------------------------|-----|
| 4.104 | User Table ZU030 - Responsible HCP provider..... | 107 |
| 4.105 | User Table ZU031 - Service Type Requested | 107 |
| 4.106 | User Table ZU032 – Sexual Orientation | 108 |
| 4.107 | User Table ZU033 - Source if addition | 108 |
| 4.108 | User Table ZU034 - Source of Attendance | 108 |
| 4.109 | User Table ZU035 - Source of Referral..... | 109 |
| 4.110 | User Table ZU036 - Transfer Reason | 109 |
| 4.111 | User Table ZU037 - Transport Requirements | 109 |
| 4.112 | User Table ZU038 - Units | 110 |
| 4.113 | User Table ZU039– Location Shielding..... | 110 |
| 4.114 | User Table ZU040–Actual Delivery Place | 110 |
| 4.115 | User Table ZU041– Intended Delivery Place | 111 |
| 4.116 | User Table ZU042– Delivery Place Change Reason | 112 |
| 4.117 | User Table ZU043– Delivery Method | 113 |
| 4.118 | User Table ZU044– Status Of Person Conducting Delivery..... | 113 |
| 4.119 | User Table ZU045– Resuscitation Method | 114 |
| 4.120 | User Table ZU046– Live Or Still Birth Code..... | 114 |
| 4.121 | User Table ZU047– Legal Status On Admission..... | 115 |
| 4.122 | User Table ZU048– Legal Status At Census Date..... | 117 |
| 4.123 | User Table ZU049– Mental Category..... | 119 |
| 4.124 | User Table ZU050– Identity Unknown Indicator..... | 119 |
| 4.125 | User Table ZU051– Intended Management | 120 |
| 4.126 | User Table ZU052– Location Type | 121 |
| 4.127 | User Table ZU053– Broad Patient Group | 123 |
| 4.128 | User Table ZU054 – First Attendance..... | 124 |
| 4.129 | User Table ZU055– Waiting List Type | 124 |
| 4.130 | User Table ZU056 - DCR Consent to Share Indicator | 124 |
| 4.131 | User Table ZU057 - Location Hiding..... | 125 |
| 4.132 | User Table ZU058 - SCR Consent to Store | 126 |

1 Introduction

2 Purpose of Document

The purpose of this document is to detail the HL7 version 2.4 message constructs and definitions used within the HSCIC Interoperability Toolkit that forms part of the document set issued as the Interoperability Toolkit Specification.

The document is based on the current HL7v2.4 A2 standard published by HL7-UK with additional reference to the IHE Technical Framework Volume 2. Although based on these documents there are a number of areas in which this specification differs from both HL7-UK and IHE.

This document will eventually form part of a document set which 'profiles' HL7 version 2.4 for deployment within the English NHS.

This document provides vocabularies which shall be used in HL7 version 2.4 message constructs used within the HSCIC Interoperability Toolkit Specification. Vocabularies provided in this document are also available in XML/HTML format from [NHS TRUD website](#) as 'Interoperability Toolkit Specifications Reference Pack'

3 Audience

This guidance has been written for the technical and product development staff within manufacturers and vendors of systems to the NHS, who intend to provide Interoperability Toolkit enabled applications.

Additionally this document would be of interest to NHS Trust staff who may be involved in procuring a 'Toolkit-enabled' application.

4 Reference Table Definitions

4.1 User Table 0001 - Administrative Sex

Used within segments:

PID - Patient Identification (HL7 ref 3.4.2)

NK1 - Next of Kin (NOK) / Associated Parties (AP) (HL7 ref 3.4.5)

Refer to HL7 Chapter:

3.4.2.8

| Value | Description | Notes |
|-------|---------------|-------------------------------------------------------------------------------------------------|
| 9 | Not specified | '9' 'Not Specified' means indeterminate, i.e. unable to be classified as either male or female. |
| 2 | Female | |
| 1 | Male | |
| 0 | Not Known | '0' 'Not Known' means that the gender of the person has not been recorded. |

Sex and gender are different concepts. As this is administrative (patient identification) it must refer to Gender and be used in that context - i.e. self declared or based on identification.

Status:

| | |
|-----------|------------------------------------------------------------|
| HL7-UK A2 | <i>Differs - Discuss with HL7-UK A2 to reflect the NHS</i> |
| IHE TF | <i>Differs - Discuss with IHE-UK to reflect the NHS</i> |

The following table indicates a potential mapping from the User table 0001 to these values based on the NHS Data Model and Dictionary attribute Person Gender Code¹ and e-GIF/GDSC data element Person Gender Current².

| HL7 Value | HL7 Description | NHS DD Value | NHS Data Dictionary Description |
|-----------|-----------------------|--------------|---------------------------------|
| A | <i>Ambiguous</i> | 9 | <i>Not Specified</i> |
| F | <i>Female</i> | 2 | <i>Female</i> |
| M | <i>Male</i> | 1 | <i>Male</i> |
| N | <i>Not applicable</i> | 0 | <i>Not known</i> |
| O | <i>Other</i> | 0 | <i>Not known</i> |
| U | <i>Unknown</i> | 0 | <i>Not Known</i> |

¹ http://www.datadictionary.nhs.uk/data_dictionary/attributes/p/person/person_gender_code_de.asp?

² http://www.cabinetoffice.gov.uk/govtalk/schemasstandards/e-gif/datastandards/person_information/person_sex/person_gender_current.aspx

4.2 User Table 0002 - Marital Status

Used within segment:

PID - Patient Identification (HL7 ref 3.4.2)

Refer to HL7 Chapter:

3.4.2.16

| Value | Description | Notes |
|-------|--------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| S | Single | |
| M | Married / Civil Partner | |
| D | Divorced / Person whose Civil Partnership has been dissolved | |
| W | Widowed / Surviving Civil Partner | |
| P | Separated | |
| N | Not disclosed | |
| 8 | Not applicable | |
| 9 | Not known | To be used when data enterer has tried to get information but it is not known for any reason. |

An indicator to identify the legal marital status of a person.

Status:

| | |
|-----------|-----------------------------------------------------|
| HL7-UK A2 | Differs - Discuss with HL7-UK A2 to reflect the NHS |
| IHE TF | Differs - Discuss with IHE-UK to reflect the NHS |

The following table indicates a mapping from the User table 0002 to these values based on the NHS Data Model and Dictionary attribute Person Marital Status Code³ and e-GIF/GDSC Person Marital Status⁴. The Identity and Passport Service (IPS) will be establishing the definitions for "Marital Status" and so these values are subject to change.

| HL7 Value | HL7 Description | NHS Value | NHS Description |
|-----------|-------------------|-----------|------------------------------------------------------------|
| A | Separated | P | Separated |
| B | Unmarried | S | Single |
| C | Common law | S | Single |
| D | Divorced | D | Divorced/Person whose Civil Partnership has been dissolved |
| E | Legally Separated | P | Separated |

³ http://www.datadictionary.nhs.uk/data_dictionary/attributes/p/person/person_marital_status_code_de.asp?

⁴ <http://www.govtalk.gov.uk/gdsc/html/frames/PersonMaritalStatus-2-0-Release.htm>

| | | | |
|---|------------------------------------|---|-------------------------------------------------------------------|
| G | <i>Living Together</i> | S | <i>Single</i> |
| I | <i>Interlocutory</i> | N | <i>Not disclosed</i> |
| M | <i>Married</i> | M | <i>Married/Civil Partner</i> |
| N | <i>Annulled</i> | D | <i>Divorced/Person whose Civil Partnership has been dissolved</i> |
| O | <i>Other</i> | N | <i>Not disclosed</i> |
| P | <i>Domestic Partner</i> | S | <i>Single</i> |
| R | <i>Registered Domestic Partner</i> | M | <i>Married/Civil Partner</i> |
| S | <i>Single</i> | S | <i>Single</i> |
| T | <i>Unreported</i> | N | <i>Not disclosed</i> |
| U | <i>Unknown</i> | N | <i>Not disclosed</i> |
| W | <i>Widowed</i> | W | <i>Widowed/Surviving Civil Partner</i> |

4.3 User Table 0004 - Patient Class

Used within segment:

PV1 - Patient Visit (HL7 ref 3.4.3)

Refer to HL7 Chapter:

3.4.3.2

| Value | Description | Notes |
|-------|--------------------|-------|
| B | Obstetrics | |
| C | Commercial Account | |
| E | Emergency | |
| I | Inpatient | |
| N | Not Applicable | |
| O | Outpatient | |
| P | Pre-admit | |
| R | Recurring patient | |
| U | Unknown | |
| W | Waiting List | |

4.4 User Table 0006 - Religion

Used within segment:

PID - Patient Identification (HL7 ref 3.4.2)

Refer to HL7 Chapter:

3.4.2.17

| Value | Description | Notes |
|-------|--------------------------------|-----------|
| A1 | Baha'i | Baha'i |
| B1 | Buddhist | Buddhist |
| B2 | Mahayana Buddhist | Buddhist |
| B3 | New Kadampa Tradition Buddhist | Buddhist |
| B4 | Nichiren Buddhist | Buddhist |
| B5 | Pure Land Buddhist | Buddhist |
| B6 | Theravada Buddhist | Buddhist |
| B7 | Tibetan Buddhist | Buddhist |
| B8 | Zen Buddhist | Buddhist |
| C1 | Christian | Christian |
| C2 | Amish | Christian |
| C3 | Anabaptist | Christian |
| C4 | Anglican | Christian |
| C5 | Apostolic Pentecostalist | Christian |
| C6 | Armenian Catholic | Christian |
| C7 | Armenian Orthodox | Christian |
| C8 | Baptist | Christian |
| C9 | Brethren | Christian |
| C10 | Bulgarian Orthodox | Christian |
| C11 | Calvinist | Christian |
| C12 | Catholic: Not Roman Catholic | Christian |
| C13 | Celtic Christian | Christian |
| C14 | Celtic Orthodox Christian | Christian |
| C15 | Chinese Evangelical Christian | Christian |
| C16 | Christadelphian | Christian |
| C17 | Christian Existentialist | Christian |
| C18 | Christian Humanist | Christian |
| C19 | Christian Scientists | Christian |
| C20 | Christian Spiritualist | Christian |
| C21 | Church in Wales | Christian |
| C22 | Church of England | Christian |

| Value | Description | Notes |
|-------|--------------------------------|-----------|
| C23 | Church of God of Prophecy | Christian |
| C24 | Church of Ireland | Christian |
| C25 | Church of Scotland | Christian |
| C26 | Congregationalist | Christian |
| C27 | Coptic Orthodox | Christian |
| C28 | Eastern Catholic | Christian |
| C29 | Eastern Orthodox | Christian |
| C30 | Elim Pentecostalist | Christian |
| C31 | Ethiopian Orthodox | Christian |
| C32 | Evangelical Christian | Christian |
| C33 | Exclusive Brethren | Christian |
| C34 | Free Church | Christian |
| C35 | Free Church of Scotland | Christian |
| C36 | Free Evangelical Presbyterian | Christian |
| C37 | Free Methodist | Christian |
| C38 | Free Presbyterian | Christian |
| C39 | French Protestant | Christian |
| C40 | Greek Catholic | Christian |
| C41 | Greek Orthodox | Christian |
| C42 | Independent Methodist | Christian |
| C43 | Indian Orthodox | Christian |
| C44 | Jehovah's Witness | Christian |
| C45 | Judaic Christian | Christian |
| C46 | Lutheran | Christian |
| C47 | Mennonite | Christian |
| C48 | Messianic Jew | Christian |
| C49 | Methodist | Christian |
| C50 | Moravian | Christian |
| C51 | Mormon | Christian |
| C52 | Nazarene Church / SYN Nazarene | Christian |
| C53 | New Testament Pentacostalist | Christian |
| C54 | Nonconformist | Christian |

| Value | Description | Notes |
|-------|--------------------------------------------|-----------|
| C55 | Old Catholic | Christian |
| C56 | Open Brethren | Christian |
| C57 | Orthodox Christian | Christian |
| C58 | Pentecostalist / SYN Pentacostal Christian | Christian |
| C59 | Presbyterian | Christian |
| C60 | Protestant | Christian |
| C61 | Plymouth Brethren | Christian |
| C62 | Quaker | Christian |
| C63 | Rastafari | Christian |
| C64 | Reformed Christian | Christian |
| C65 | Reformed Presbyterian | Christian |
| C66 | Reformed Protestant | Christian |
| C67 | Roman Catholic | Christian |
| C68 | Romanian Orthodox | Christian |
| C69 | Russian Orthodox | Christian |
| C70 | Salvation Army Member | Christian |
| C71 | Scottish Episcopalian | Christian |
| C72 | Serbian Orthodox | Christian |
| C73 | Seventh Day Adventist | Christian |
| C74 | Syrian Orthodox | Christian |
| C75 | Ukrainian Catholic | Christian |
| C76 | Ukrainian Orthodox | Christian |
| C77 | Uniate Catholic | Christian |
| C78 | Unitarian | Christian |
| C79 | United Reform | Christian |
| C80 | Zwinglian | Christian |
| D1 | Hindu | Hindu |
| D2 | Advaitin Hindu | Hindu |
| D3 | Arya Samaj Hindu | Hindu |
| D4 | Shakti Hindu | Hindu |
| D5 | Shiva Hindu | Hindu |

| Value | Description | Notes |
|-------|--------------------------------|-------------|
| D6 | Vaishnava Hindu / Hare Krishna | Hindu |
| E1 | Jain | Jain |
| F1 | Jewish | Jewish |
| F2 | Ashkenazi Jew | Jewish |
| F3 | Haredi Jew | Jewish |
| F4 | Hasidic Jew | Jewish |
| F5 | Liberal Jew | Jewish |
| F6 | Masorti Jew | Jewish |
| F7 | Orthodox Jew | Jewish |
| F8 | Reform Jew | Jewish |
| G1 | Muslim | Muslim |
| G2 | Ahmadi | Muslim |
| G3 | Druze | Muslim |
| G4 | Ismaili Muslim | Muslim |
| G5 | Shi'ite Muslim | Muslim |
| G6 | Sunni Muslim | Muslim |
| H1 | Pagan | Pagan |
| H2 | Asatruar | Pagan |
| H3 | Celtic Pagan | Pagan |
| H4 | Druid | Pagan |
| H5 | Goddess | Pagan |
| H6 | Heathen | Pagan |
| H7 | Occultist | Pagan |
| H8 | Shaman | Pagan |
| H9 | Wiccan | Pagan |
| I1 | Sikh | Sikh |
| J1 | Zoroastrian | Zoroastrian |
| K1 | Agnostic * | Agnostic |
| K2 | Ancestral Worship | Agnostic |
| K3 | Animist | Agnostic |
| K4 | Anthroposophist | Agnostic |
| K5 | Black Magic | Agnostic |

| Value | Description | Notes |
|-------|-----------------------------------|--------------------|
| K6 | Brahma Kumari | Agnostic |
| K7 | British Israelite | Agnostic |
| K8 | Chondogyo | Agnostic |
| K9 | Confucianist | Agnostic |
| K10 | Deist | Agnostic |
| K11 | Humanist | Agnostic |
| K12 | Infinite Way | Agnostic |
| K13 | Kabbalist | Agnostic |
| K14 | Lightworker | Agnostic |
| K15 | New Age Practitioner | Agnostic |
| K16 | Native American Religion | Agnostic |
| K17 | Pantheist | Agnostic |
| K18 | Peyotist | Agnostic |
| K19 | Radha Soami /SYN Sant Mat | Agnostic |
| K20 | Religion (Other Not Listed) ** | Agnostic |
| K21 | Santeri | Agnostic |
| K22 | Satanist | Agnostic |
| K23 | Scientologist | Agnostic |
| K24 | Secularist | Agnostic |
| K25 | Shumei | Agnostic |
| K26 | Shinto | Agnostic |
| K27 | Spiritualist | Agnostic |
| K28 | Swedenborgian / SYN Neo-Christian | Agnostic |
| K29 | Taoist | Agnostic |
| K30 | Unitarian-Universalist | Agnostic |
| K31 | Universalist | Agnostic |
| K32 | Vodun | Agnostic |
| K33 | Yoruba | Agnostic |
| L1 | Atheist | Atheist |
| L2 | Not Religious | Atheist |
| M1 | Religion not given - PATIENT | Religion not given |

| Value | Description | Notes |
|-------|------------------------------|--------------------------|
| | refused | |
| N1 | Patient Religion Unknown *** | Patient Religion Unknown |

* Where the patient has been asked for their Religious or Other Belief System Affiliation but they are unsure what it is: Agnostic should be used

** Where the patient has been asked for their Religious or Other Belief System Affiliation and it is one that is not listed: Religion (Other Not Listed) should be used

*** Where the patient has not been asked for their Religious or Other Belief System Affiliation: Patient Religion Unknown should be used.

Source: SCG Guidance: How to Use the Religious or Other Belief System Affiliation List

Status:

| | |
|-----------|------------------------------------------------------------|
| HL7-UK A2 | <i>Differs - Discuss with HL7-UK A2 to reflect the NHS</i> |
| IHE TF | <i>Differs - Discuss with IHE-UK to reflect the NHS</i> |

The following table indicates a mapping from the User table 0006 to these values based on the NHS Data Model and Dictionary attribute Religious or Other Belief System Affiliation Code⁵.

| HL7 Value | HL7 Description | NHS value | NHS Description |
|-----------|---------------------------------------------|-----------|--------------------|
| ABC | Christian: American Baptist Church | C1 | Christian |
| AGN | Agnostic | K1 | Agnostic * |
| AME | Christian: African Methodist Episcopal Zion | C1 | Christian |
| AMT | Christian: African Methodist Episcopal | C1 | Christian |
| ANG | Christian: Anglican | C4 | Anglican |
| AOG | Christian: Assembly of God | C1 | Christian |
| ATH | Atheist | L1 | Atheist |
| BAH | Baha'i | A1 | Baha'i |
| BAP | Christian: Baptist | C8 | Baptist |
| BMA | Buddhist: Mahayana | B2 | Mahayana Buddhist |
| BOT | Buddhist: Other | B1 | Buddhist |
| BTA | Buddhist: Tantrayana | B1 | Buddhist |
| BTH | Buddhist: Theravada | B6 | Theravada Buddhist |
| BUD | Buddhist | B1 | Buddhist |
| CAT | Christian: Roman Catholic | C67 | Roman Catholic |

⁵

http://www.datadictionary.nhs.uk/data_dictionary/attributes/r/red/religious_or_other_belief_system_affiliation_code_de.asp?

| <i>HL7 Value</i> | <i>HL7 Description</i> | <i>NHS value</i> | <i>NHS Description</i> |
|------------------|------------------------------------------|------------------|-----------------------------------------------|
| CFR | Chinese Folk Religionist | K20 | Religion (Other Not Listed) ** |
| CHR | Christian | C1 | Christian |
| CHS | Christian: Christian Science | C19 | Christian Scientists |
| CMA | Christian: Christian Missionary Alliance | C1 | Christian |
| CNF | Confucian | K9 | Confucianist |
| COC | Christian: Church of Christ | C1 | Christian |
| COG | Christian: Church of God | C1 | Christian |
| COI | Christian: Church of God in Christ | C1 | Christian |
| COL | Christian: Congregational | C26 | Congregationalist |
| COM | Christian: Community | C1 | Christian |
| COP | Christian: Other Pentecostal | C58 | Pentecostalist / SYN Pentacostal Christian |
| COT | Christian: Other | C1 | Christian |
| CRR | Christian: Christian Reformed | C1 | Christian |
| EOT | Christian: Eastern Orthodox | C29 | Eastern Orthodox |
| EPI | Christian: Episcopalian | C1 | Christian |
| ERL | Ethnic Religionist | K20 | Religion (Other Not Listed) ** |
| EVC | Christian: Evangelical Church | C32 | Evangelical Christian |
| FRQ | Christian: Friends | C1 | Christian |
| FWB | Christian: Free Will Baptist | C1 | Christian |
| GRE | Christian: Greek Orthodox | C41 | Greek Orthodox |
| HIN | Hindu | D1 | Hindu |
| HOT | Hindu: Other | D1 | Hindu |
| HSH | Hindu: Shaivites | D5 | Shiva Hindu |
| HVA | Hindu: Vaishnavites | D6 | Vaishnava Hindu / Hare Krishna |
| JAI | Jain | E1 | Jain |
| JCO | Jewish: Conservative | F1 | Jewish |
| JEW | Jewish | F1 | Jewish |
| JOR | Jewish: Orthodox | F7 | Orthodox Jew |
| JOT | Jewish: Other | F1 | Jewish |
| JRC | Jewish: Reconstructionist | F1 | Jewish |
| JRF | Jewish: Reform | F8 | Reform Jew |
| JRN | Jewish: Renewal | F1 | Jewish |
| JWN | Christian: Jehovah's Witness | C44 | Jehovah's Witness |
| LMS | Christian: Lutheran Missouri Synod | C46 | Lutheran |

| <i>HL7 Value</i> | <i>HL7 Description</i> | <i>NHS value</i> | <i>NHS Description</i> |
|------------------|------------------------------------------------------|------------------|-----------------------------------------------|
| LUT | Christian: Lutheran | C46 | Lutheran |
| MEN | Christian: Mennonite | C47 | Mennonite |
| MET | Christian: Methodist | C49 | Methodist |
| MOM | Christian: Latter-day Saints | C1 | Christian |
| MOS | Muslim | G1 | Muslim |
| MOT | Muslim: Other | G1 | Muslim |
| MSH | Muslim: Shiite | G5 | Shi'ite Muslim |
| MSU | Muslim: Sunni | G6 | Sunni Muslim |
| NAM | Native American | K16 | Native American Religion |
| NAZ | Christian: Church of the Nazarene | C52 | Nazarene Church / SYN Nazarene |
| NOE | Nonreligious | L2 | Not Religious |
| NRL | New Religionist | K20 | Religion (Other Not Listed) ** |
| ORT | Christian: Orthodox | C57 | Orthodox Christian |
| OTH | Other | K20 | Religion (Other Not Listed) ** |
| PEN | Christian: Pentecostal | C58 | Pentecostalist / SYN Pentacostal Christian |
| PRC | Christian: Other Protestant | C60 | Protestant |
| PRE | Christian: Presbyterian | C59 | Presbyterian |
| PRO | Christian: Protestant | C60 | Protestant |
| QUA | Christian: Friends | C1 | Christian |
| REC | Christian: Reformed Church | C64 | Reformed Christian |
| REO | Christian: Reorganized Church of Jesus Christ-LDS | C1 | Christian |
| SAA | Christian: Salvation Army | C70 | Salvation Army Member |
| SEV | Christian: Seventh Day Adventist | C73 | Seventh Day Adventist |
| SHN | Shintoist | K26 | Shinto |
| SIK | Sikh | I1 | Sikh |
| SOU | Christian: Southern Baptist | C1 | Christian |
| SPI | Spiritist | K20 | Religion (Other Not Listed) ** |
| UCC | Christian: United Church of Christ | C1 | Christian |
| UMD | Christian: United Methodist | C49 | Methodist |
| UNI | Christian: Unitarian | C78 | Unitarian |
| UNU | Christian: Unitarian Universalist | C78 | Unitarian |
| VAR | Unknown | N1 | Patient Religion Unknown *** |
| WES | Christian: Wesleyan | C1 | Christian |
| WMC | Christian: Wesleyan Methodist | C1 | Christian |

4.5 User Table 0007 - Admission Type

Used within segment:

PV1 - Patient Visit (HL7 ref 3.4.3)

Refer to HL7 Chapter:

3.4.3.4

| Value | Description | Notes |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11 | Waiting list | Elective Admission, when the DECISION TO ADMIT could be separated in time from the actual admission. Note that this does not include a transfer from another Hospital Provider (see 81 below). |
| 12 | Booked | Elective Admission, when the DECISION TO ADMIT could be separated in time from the actual admission. Note that this does not include a transfer from another Hospital Provider (see 81 below). |
| 13 | Planned | Elective Admission, when the DECISION TO ADMIT could be separated in time from the actual admission. Note that this does not include a transfer from another Hospital Provider (see 81 below). |
| 21 | Accident and emergency or dental casualty department of the Health Care Provider | Emergency admission, when admission is unpredictable and at short notice because of clinical need. |
| 22 | GENERAL PRACTITIONER: after a request for immediate admission has been made direct to a Hospital Provider, i.e. not through a Bed bureau, by a GENERAL PRACTITIONER or deputy | Emergency admission, when admission is unpredictable and at short notice because of clinical need. |
| 23 | Bed bureau | Emergency admission, when admission is unpredictable and at short notice because of clinical need. |
| 24 | Consultant Clinic, of this or another Health Care Provider | Emergency admission, when admission is unpredictable and at short notice because of clinical need. |

| Value | Description | Notes |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 28 | Other means, examples are: - admitted from the Accident And Emergency Department of another provider where they had not been admitted - transfer of an admitted PATIENT from another Hospital Provider in an emergency - baby born at home as intended | Emergency admission, when admission is unpredictable and at short notice because of clinical need. |
| 31 | Admitted ante-partum | Maternity admission, of a pregnant or recently pregnant woman to a maternity ward (including delivery facilities) except when the intention is to terminate the pregnancy. |
| 32 | Admitted post-partum | Maternity admission, of a pregnant or recently pregnant woman to a maternity ward (including delivery facilities) except when the intention is to terminate the pregnancy. |
| 82 | The birth of a baby in this Health Care Provider | Other admission not specified above. |
| 83 | Baby born outside the Health Care Provider except when born at home as intended. | Other admission not specified above. |
| 81 | Transfer of any admitted PATIENT from other Hospital Provider other than in an emergency | Other admission not specified above. |
| 98 | Not applicable | |
| 99 | Not known | To be used when data enterer has tried to get information but it is not known for any reason. |

Status:

| | |
|-----------|------------------------------------------------------------|
| HL7-UK A2 | <i>Differs - Discuss with HL7-UK A2 to reflect the NHS</i> |
| IHE TF | <i>Differs - Discuss with IHE-UK to reflect the NHS</i> |

The following table indicates a mapping from the User table 0007 to these values based on the NHS Data Model and Dictionary attribute Admission Method⁶.

| HL7 Value | HL7 Description | NHS value | NHS Description |
|-----------|-----------------|-----------|----------------------------------|
| A | Accident | 21 | Accident and emergency or dental |

⁶ http://www.datadictionary.nhs.uk/data_dictionary/attributes/a/add/admission_method_de.asp?

| HL7 Value | HL7 Description | NHS value | NHS Description |
|-----------|----------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | | casualty department of the Health Care Provider |
| C | Elective | 13 | Planned |
| E | Emergency | 21 | Accident and emergency or dental casualty department of the Health Care Provider |
| L | Labor and Delivery | 31 | Maternity admission, of a pregnant or recently pregnant woman to a maternity ward (including delivery facilities) except when the intention is to terminate the pregnancy. |
| N | Newborn (Birth in healthcare facility) | 82 | The birth of a baby in this Health Care Provider |
| R | Routine | 12 | Booked |
| U | Urgent | | |

4.6 HL7 Table 0008 - Acknowledgment code

Used within segment:

MSA - message acknowledgment segment (HL7 ref: 2.16.8)

Refer to HL7 Chapter:

2.16.8.1

| Value | Description | Notes |
|-------|------------------------------------------------------------------------------------------|-------|
| AA | Original mode: Application Accept - Enhanced mode: Application acknowledgment: Accept | |
| AE | Original mode: Application Error - Enhanced mode: Application acknowledgment: Error | |
| AR | Original mode: Application Reject - Enhanced mode: Application acknowledgment: Reject | |
| CA | Enhanced mode: Accept acknowledgment: Commit Accept | |
| CE | Enhanced mode: Accept acknowledgment: Commit Error | |
| CR | Enhanced mode: Accept acknowledgment: Commit Reject | |

4.7 User Table 0009 - Ambulatory status

Used within segments:

PV1 - Patient Visit (HL7 ref 3.4.3)

NK1 - Next of Kin (NOK) / Associated Parties (AP) (HL7 ref 3.4.5)

Refer to HL7 Chapter:

3.4.3.15

| Value | Description | Notes |
|-------|-------------------------------------------|-------|
| A0 | No functional limitations | |
| A1 | Ambulates with assistive device | |
| A2 | Wheelchair/stretchers bound | |
| A3 | Comatose; non-responsive | |
| A4 | Disoriented | |
| A5 | Vision impaired | |
| A6 | Hearing impaired | |
| A7 | Speech impaired | |
| A8 | Non-English speaking | |
| A9 | Functional level unknown | |
| B1 | Oxygen therapy | |
| B2 | Special equipment (tubes, IVs, catheters) | |
| B3 | Amputee | |
| B4 | Mastectomy | |
| B5 | Paraplegic | |
| B6 | Pregnant | |

4.8 User Table 0010 - Physician ID

Used within segments:

PV1 - Patient Visit (HL7 ref 3.4.3)

PR1 -Procedures

Refer to HL7 Chapter:

3.4.3.9, 3.4.3.8, 3.4.3.7, 6.5.4.12, 3.4.3.17

This table should contain and support valid NHS Consultant Codes⁷ or Referrer Codes⁸ to be used in the HL7 data elements Referring Doctor, Consulting Doctor and Admitting Doctor.

4.9 User Table 0018 - Patient Type

Used within segment:

PV1 - Patient Visit (HL7 ref 3.4.3)

Refer to HL7 Chapter:

3.4.3.18

There are currently no suggested values for this release. Until nationally agreed values are provided, local values should be used.

4.10 User Table 0019 - Anaesthesia code

Used within segment:

PR1 –Procedures

Refer to HL7 Chapter:

6.5.4.9

| Value | Description | Notes |
|-------|----------------------------------------------------------|------------------------------------|
| Y80 | General anaesthetic | |
| Y80.1 | Inhalation anaesthetic using muscle relaxant | |
| Y80.2 | Inhalation anaesthetic using endotracheal intubation NEC | |
| Y80.3 | Inhalation anaesthetic NEC | |
| Y80.4 | Intravenous anaesthetic NEC | |
| Y80.5 | Rapid sequence induction of anaesthetic | |
| Y80.8 | Other specified | |
| Y80.9 | Unspecified | |
| Y81 | Spinal anaesthetic | |
| Y81.1 | Epidural anaesthetic using lumbar approach | Includes: Epidural anaesthetic NEC |
| Y81.2 | Epidural anaesthetic using sacral approach | |
| Y81.8 | Other specified | |

⁷ http://www.datadictionary.nhs.uk/data_dictionary/attributes/c/cons/consultant_code_de.asp?

⁸ http://www.datadictionary.nhs.uk/data_dictionary/data_field_notes/r/referrer_code_de.asp?

| Value | Description | Notes |
|-------|------------------------------------|-----------------------------------------------------------------|
| Y81.9 | Unspecified | |
| Y82 | Local anaesthetic | Excludes: Local anaesthetics for Ophthalmology procedures (C90) |
| Y82.1 | Local anaesthetic nerve block | Excludes: Destructive nerve block (Chapter A) |
| Y82.2 | Injection of local anaesthetic NEC | |

This table should contain and support valid NHS Anaesthesia codes and descriptions. The current NHS coding standard supported for Anaesthesia are codes ranging from within Y80-Y84 from the Office of Population, Censuses and Surveys Classification of Surgical Operations and Procedures (4th revision) standard, OPCS-4.5⁹.

If mapping from Systematised Nomenclature of Medicine Clinical Terms (SNOMED-CT)¹⁰, please ensure that the concepts used are cross mapped to the OPCS-4 codes above. The cross mapping can be found by accessing the TRUD¹¹ service.

4.11 User Table 0023 - Admit source

Used within segment:

PV1 - Patient Visit (HL7 ref 3.4.3)

Refer to HL7 Chapter:

3.4.3.14

| Value | Description | Notes |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 19 | Usual place of residence unless listed below, for example, a private dwelling whether owner occupied or owned by local authority, housing association or other landlord. This includes wardened accommodation but not residential accommodation where health care is provided. It also includes patients with no fixed abode. | |
| 29 | Temporary place of residence when usually resident elsewhere (e.g. hotels, residential educational establishments) | |

⁹

http://www.datadictionary.nhs.uk/web_site_content/supporting_information/clinical_coding/opcs_classification_of_interventions_and_procedures.asp?

¹⁰ <http://systems.hscic.gov.uk/data/uktc/snomed>

¹¹ <https://www.uktcregistration.nss.HSCIC.nhs.uk/trud/>

| Value | Description | Notes |
|-------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| 39 | Penal establishment, Court, or police station | |
| 49 | NHS other hospital provider - high security psychiatric accommodation in an NHS hospital provider (NHS trust) | |
| 51 | NHS other hospital provider - ward for general patients or the younger physically disabled or A & E department | Code 51 should not be used if the PATIENT arrives at an Accident And Emergency Department and is admitted to the same Hospital Provider. |
| 52 | NHS other hospital provider - ward for maternity patients or neonates | |
| 53 | NHS other hospital provider - ward for patients who are mentally ill or have learning disabilities | |
| 54 | NHS run care home | |
| 65 | Local Authority residential accommodation ie where care is provided | |
| 66 | Local Authority foster care | |
| 79 | Babies born in or on the way to hospital | |
| 85 | Non-NHS (other than Local Authority) run care home | |
| 87 | Non NHS run hospital | |
| 88 | Non-NHS (other than Local Authority) run Hospice | |
| 98 | Not applicable | |
| 99 | Not known | To be used when data enterer has tried to get information but it is not known for any reason. |

Status:

| | |
|-----------|------------------------------------------------------------|
| HL7-UK A2 | <i>Differs - Discuss with HL7-UK A2 to reflect the NHS</i> |
| IHE TF | <i>Differs - Discuss with IHE-UK to reflect the NHS</i> |

The following table indicates a mapping from the User table 0023 to these values based on the NHS Data Model and Dictionary attribute Source of Admission¹².

| <i>HL7 Value</i> | <i>HL7 Description</i> | <i>NHS value</i> | <i>NHS Description</i> |
|------------------|--------------------------------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Physician referral | | |
| 2 | Clinic referral | | |
| 3 | HMO referral | | |
| 4 | Transfer from a hospital | | |
| 5 | Transfer from a skilled nursing facility | | |
| 6 | Transfer from another health care facility | 51 | NHS other hospital provider - ward for general patients or the younger physically disabled or A & E department |
| 7 | Emergency room | 51 | NHS other hospital provider - ward for general patients or the younger physically disabled or A & E department |
| 8 | Court/law enforcement | 39 | Penal establishment, Court, or police station |
| 9 | Information not available | 19 | Usual place of residence unless listed below, for example, a private dwelling whether owner occupied or owned by local authority, housing association or other landlord. This includes wardened accommodation but not residential accommodation where health care is provided. It also includes patients with no fixed abode. |

4.12 User Table 0051 - Diagnosis code

Used within segment:

PR1 –Procedures

DG1 – Diagnostic Information

Refer to HL7 Chapter:

6.5.4.15, 6.5.2.3

This table should contain and support valid NHS Diagnosis codes¹³. The current NHS coding standard for Diagnosis Codes is the International Classification of Diseases standard, ICD-10¹⁴.

¹² http://www.datadictionary.nhs.uk/data_dictionary/attributes/s/smo/source_of_admission_de.asp?

¹³ http://www.datadictionary.nhs.uk/data_dictionary/attributes/c/cla/clinical_classification_code_de.asp?

4.13 User Table 0052 - Diagnosis type

Used within segment:

DG1 - Diagnostic Information

Refer to HL7 Chapter:

6.5.2.6

| Value | Description | Notes |
|-------|-------------|-------|
| A | Admitting | |
| F | Final | |
| W | Working | |

4.14 User Table 0059 - Consent code

Used within segment:

PR1 -Procedures

Refer to HL7 Chapter:

6.5.4.13

There are currently no suggested values for this release. Until nationally agreed values are provided, local values should be used.

4.15 User Table 0063 - Relationship

Used within segment:

NK1 - Next of Kin (NOK) / Associated Parties (AP) (HL7 ref 3.4.5)

Refer to HL7 Chapters:

3.4.5.3

| Value | Description | Notes |
|-------|---------------|---------------------|
| 1 | Spouse | |
| 2 | Partner | |
| 3 | Parent | |
| 4 | Next of kin | |
| 5 | Guardian | Other than a parent |
| 6 | Foster parent | |
| 9 | Child | |
| 10 | Dependant | |

14

[http://www.datadictionary.nhs.uk/web_site_content/supporting_information/clinical_coding/international_classification_of_diseases_\(icd-10\).asp?](http://www.datadictionary.nhs.uk/web_site_content/supporting_information/clinical_coding/international_classification_of_diseases_(icd-10).asp?)

| Value | Description | Notes |
|-------|------------------------------------|-------|
| 11 | Non-dependant | |
| 12 | Mother | |
| 13 | Father | |
| 14 | Sister | |
| 15 | Brother | |
| 16 | Relative | |
| 17 | Proxy – Contact | |
| 18 | Proxy – Communication | |
| 19 | Proxy -- Contact and Communication | |
| 20 | Carer | |
| 21 | Self | |
| 61 | Step parent | |
| 62 | Polygamous partner | |
| 98 | Not Known | |
| 99 | Not specified | |

Details of a relationship between the patient and another party.

Status:

| | |
|-----------|------------------------------------------------------------|
| HL7-UK A2 | <i>Differs - Discuss with HL7-UK A2 to reflect the NHS</i> |
| IHE TF | <i>Differs - Discuss with IHE-UK to reflect the NHS</i> |

The following table indicates a mapping from the User table 0063 to these values based on the Person Demographics Service (PDS) data item Relationship Type.

| HL7 Value | HL7 Description | NHS value | NHS Description |
|-----------|-----------------------|-----------|-----------------|
| ASC | Associate | 99 | Not specified |
| BRO | Brother | 15 | Brother |
| CGV | Care giver | 20 | Carer |
| CHD | Child | 9 | Child |
| DEP | Handicapped dependent | 10 | Dependant |
| DOM | Life partner | 2 | Partner |

| <i>HL7 Value</i> | <i>HL7 Description</i> | <i>NHS value</i> | <i>NHS Description</i> |
|------------------|------------------------|------------------|------------------------|
| EMC | Emergency contact | 17 | Proxy - Contact |
| EME | Employee | 99 | Not specified |
| EMR | Employer | 99 | Not specified |
| EXF | Extended family | 16 | Relative |
| FCH | Foster child | 9 | Child |
| FND | Friend | 99 | Not specified |
| FTH | Father | 13 | Father |
| GCH | Grandchild | 16 | Relative |
| GRD | Guardian | 5 | Guardian |
| GRP | Grandparent | 16 | Relative |
| MGR | Manager | 99 | Not specified |
| MTH | Mother | 12 | Mother |
| NCH | Natural child | 9 | Child |
| NON | None | 98 | Not Known |
| OAD | Other adult | 99 | Not specified |
| OTH | Other | 99 | Not specified |
| OWN | Owner | 99 | Not specified |
| PAR | Parent | 3 | Parent |
| SCH | Stepchild | 9 | Child |
| SEL | Self | 21 | Self |
| SIB | Sibling | 16 | Relative |
| SIS | Sister | 14 | Sister |
| SPO | Spouse | 1 | Spouse |
| TRA | Trainer | 99 | Not specified |
| UNK | Unknown | 98 | Not Known |
| WRD | Ward of court | 99 | Not specified |

4.16 User Table 0069 - Hospital Service

Used within segment:

PV1 - Patient Visit (HL7 ref 3.4.3)

Refer to HL7 Chapters:

3.4.3.10

| Value | Description | Notes |
|--------------|--------------------|--------------|
| 100 | GENERAL SURGERY | |
| 101 | UROLOGY | |

| Value | Description | Notes |
|-------|-------------------------------------|-------|
| 102 | TRANSPLANTATION SURGERY | |
| 103 | BREAST SURGERY | |
| 104 | COLORECTAL SURGERY | |
| 105 | HEPATOBIILIARY & PANCREATIC SURGERY | |
| 106 | UPPER GASTROINTESTINAL SURGERY | |
| 107 | VASCULAR SURGERY | |
| 110 | TRAUMA & ORTHOPAEDICS | |
| 120 | ENT | |
| 130 | OPHTHALMOLOGY | |
| 140 | ORAL SURGERY | |
| 141 | RESTORATIVE DENTISTRY | |
| 142 | PAEDIATRIC DENTISTRY | |
| 143 | ORTHODONTICS | |
| 144 | MAXILLO-FACIAL SURGERY | |
| 150 | NEUROSURGERY | |
| 160 | PLASTIC SURGERY | |
| 161 | BURNS CARE | |
| 170 | CARDIOTHORACIC SURGERY | |
| 171 | PAEDIATRIC SURGERY | |
| 172 | CARDIAC SURGERY | |
| 173 | THORACIC SURGERY | |
| 174 | CARDIOTHORACIC TRANSPLANTATION | |
| 180 | ACCIDENT & EMERGENCY | |
| 190 | ANAESTHETICS | |
| 191 | PAIN MANAGEMENT | |
| 192 | CRITICAL CARE MEDICINE | |
| 211 | PAEDIATRIC UROLOGY | |
| 212 | PAEDIATRIC TRANSPLANTATION SURGERY | |
| 213 | PAEDIATRIC | |

| Value | Description | Notes |
|-------|--------------------------------------------|-------|
| | GASTROINTESTINAL SURGERY | |
| 214 | PAEDIATRIC TRAUMA AND ORTHOPAEDICS | |
| 215 | PAEDIATRIC EAR NOSE AND THROAT | |
| 216 | PAEDIATRIC OPHTHALMOLOGY | |
| 217 | PAEDIATRIC MAXILLO-FACIAL SURGERY | |
| 218 | PAEDIATRIC NEUROSURGERY | |
| 219 | PAEDIATRIC PLASTIC SURGERY | |
| 220 | PAEDIATRIC BURNS CARE | |
| 221 | PAEDIATRIC CARDIAC SURGERY | |
| 222 | PAEDIATRIC THORACIC SURGERY | |
| 241 | PAEDIATRIC PAIN MANAGEMENT | |
| 242 | PAEDIATRIC INTENSIVE CARE | |
| 251 | PAEDIATRIC GASTROENTEROLOGY | |
| 252 | PAEDIATRIC ENDOCRINOLOGY | |
| 253 | PAEDIATRIC CLINICAL HAEMATOLOGY | |
| 254 | PAEDIATRIC AUDIOLOGICAL MEDICINE | |
| 255 | PAEDIATRIC CLINICAL IMMUNOLOGY AND ALLERGY | |
| 256 | PAEDIATRIC INFECTIOUS DISEASES | |
| 257 | PAEDIATRIC DERMATOLOGY | |
| 258 | PAEDIATRIC RESPIRATORY MEDICINE | |
| 259 | PAEDIATRIC NEPHROLOGY | |
| 260 | PAEDIATRIC MEDICAL ONCOLOGY | |
| 261 | PAEDIATRIC METABOLIC | |

| Value | Description | Notes |
|-------|-------------------------------------|-------|
| | DISEASE | |
| 262 | PAEDIATRIC RHEUMATOLOGY | |
| 280 | PAEDIATRIC INTERVENTIONAL RADIOLOGY | |
| 290 | COMMUNITY PAEDIATRICS | |
| 291 | PAEDIATRIC NEURO-DISABILITY | |
| 300 | GENERAL MEDICINE | |
| 301 | GASTROENTEROLOGY | |
| 302 | ENDOCRINOLOGY | |
| 303 | CLINICAL HAEMATOLOGY | |
| 304 | CLINICAL PHYSIOLOGY | |
| 305 | CLINICAL PHARMACOLOGY | |
| 306 | HEPATOLOGY | |
| 307 | DIABETIC MEDICINE | |
| 308 | BLOOD AND MARROW TRANSPLANTATION | |
| 309 | HAEMOPHILIA | |
| 310 | AUDIOLOGICAL MEDICINE | |
| 311 | CLINICAL GENETICS | |
| 313 | CLINICAL IMMUNOLOGY and ALLERGY | |
| 314 | REHABILITATION | |
| 315 | PALLIATIVE MEDICINE | |
| 316 | CLINICAL IMMUNOLOGY | |
| 317 | ALLERGY | |
| 318 | INTERMEDIATE CARE | |
| 319 | RESPITE CARE | |
| 320 | CARDIOLOGY | |
| 321 | PAEDIATRIC CARDIOLOGY | |
| 322 | CLINICAL MICROBIOLOGY | |
| 323 | SPINAL INJURIES | |
| 324 | ANTICOAGULANT SERVICE | |
| 330 | DERMATOLOGY | |

| Value | Description | Notes |
|-------|------------------------------------------------------------------------------------------|-------|
| 340 | RESPIRATORY MEDICINE | |
| 341 | RESPIRATORY PHYSIOLOGY | |
| 350 | INFECTIOUS DISEASES | |
| 352 | TROPICAL MEDICINE | |
| 360 | GENITOURINARY MEDICINE | |
| 361 | NEPHROLOGY | |
| 370 | MEDICAL ONCOLOGY | |
| 371 | NUCLEAR MEDICINE | |
| 400 | NEUROLOGY | |
| 401 | CLINICAL NEUROPHYSIOLOGY | |
| 410 | RHEUMATOLOGY | |
| 420 | PAEDIATRICS | |
| 421 | PAEDIATRIC NEUROLOGY | |
| 422 | NEONATOLOGY | |
| 424 | WELL BABIES | |
| 430 | GERIATRIC MEDICINE | |
| 450 | DENTAL MEDICINE SPECIALTIES | |
| 460 | MEDICAL OPHTHALMOLOGY | |
| 501 | OBSTETRICS | |
| 502 | GYNAECOLOGY | |
| 503 | GYNAECOLOGICAL ONCOLOGY | |
| 510 | no longer in use - Record as Obstetrics, antenatal clinic | |
| 520 | no longer in use - Record as Obstetrics, postnatal clinic | |
| 560 | MIDWIFE EPISODE | |
| 610 | no longer in use - Record as Obstetrics | |
| 620 | no longer in use - Use the appropriate function under which the patient is treated | |
| 650 | PHYSIOTHERAPY | |
| 651 | OCCUPATIONAL THERAPY | |

| Value | Description | Notes |
|-------|------------------------------------------------|-------|
| 652 | SPEECH AND LANGUAGE THERAPY | |
| 653 | PODIATRY | |
| 654 | DIETETICS | |
| 655 | ORTHOPTICS | |
| 656 | CLINICAL PSYCHOLOGY | |
| 700 | LEARNING DISABILITY | |
| 710 | ADULT MENTAL ILLNESS | |
| 711 | CHILD and ADOLESCENT PSYCHIATRY | |
| 712 | FORENSIC PSYCHIATRY | |
| 713 | PSYCHOTHERAPY | |
| 715 | OLD AGE PSYCHIATRY | |
| 720 | EATING DISORDERS | |
| 721 | ADDICTION SERVICES | |
| 722 | LIAISON PSYCHIATRY | |
| 723 | PSYCHIATRIC INTENSIVE CARE | |
| 724 | PERINATAL PSYCHIATRY | |
| 800 | CLINICAL ONCOLOGY (previously RADIOTHERAPY) | |
| 811 | INTERVENTIONAL RADIOLOGY | |
| 812 | DIAGNOSTIC IMAGING | |
| 822 | CHEMICAL PATHOLOGY | |
| 832 | no longer in use - Pathology | |
| 840 | AUDIOLOGY | |
| 990 | no longer in use - Other | |

This table should contain and support valid NHS Treatment Function Codes¹⁵.

¹⁵

http://www.datadictionary.nhs.uk/web_site_content/supporting_information/main_specialty_and_treatment_function_codes.asp?

4.17 HL7 Table 0076 - Message type

Used within segment:

MSH - Message Header

| Value | Description | Notes |
|-------|-----------------------------------------------------------|-------|
| ACK | General acknowledgment message | |
| ADR | ADT response | |
| ADT | ADT message | |
| BAR | Add/change billing account | |
| CRM | Clinical study registration message | |
| CSU | Unsolicited study data message | |
| DFT | Detail financial transactions | |
| DOC | Document response | |
| DSR | Display response | |
| EAC | Automated equipment command message | |
| EAN | Automated equipment notification message | |
| EAR | Automated equipment response message | |
| EDR | Enhanced display response | |
| EQQ | Embedded query language query | |
| ERP | Event replay response | |
| ESR | Automated equipment status update acknowledgement message | |
| ESU | Automated equipment status update message | |
| INR | Automated equipment inventory request message | |
| INU | Automated equipment inventory update message | |
| LSR | Automated equipment log/service request message | |
| LSU | Automated equipment log/service update message | |

| Value | Description | Notes |
|-------|-----------------------------------------------------------------------|-------|
| MCF | Delayed Acknowledgement (Retained for backward compatibility only) | |
| MDM | Medical document management | |
| MFD | Master files delayed application acknowledgment | |
| MFK | Master files application acknowledgment | |
| MFN | Master files notification | |
| MFQ | Master files query | |
| MFR | Master files response | |
| NMD | Application management data message | |
| NMQ | Application management query message | |
| NMR | Application management response message | |
| OMD | Dietary order | |
| OMG | General clinical order message | |
| OML | Laboratory order message | |
| OMN | Non-stock requisition order message | |
| OMP | Pharmacy/treatment order message | |
| OMS | Stock requisition order message | |
| ORD | Dietary order - General order acknowledgment message | |
| ORF | Query for results of observation | |
| ORG | General clinical order acknowledgment message | |
| ORL | Laboratory acknowledgement message (unsolicited) | |
| ORM | Pharmacy/treatment order message | |
| ORN | Non-stock requisition - General order acknowledgment message | |
| ORP | Pharmacy/treatment order acknowledgement message | |

| Value | Description | Notes |
|-------|----------------------------------------------------------|-------|
| ORR | General order response message response to any ORM | |
| ORS | Stock requisition - General order acknowledgment message | |
| ORU | Unsolicited transmission of an observation message | |
| OSQ | Query response for order status | |
| OSR | Query response for order status | |
| OUL | Unsolicited laboratory observation message | |
| PEX | Product experience message | |
| PGL | Patient goal message | |
| PIN | Patient insurance information | |
| PMU | Add personnel record | |
| PPG | Patient pathway message (goal-oriented) | |
| PPP | Patient pathway message (problem-oriented) | |
| PPR | Patient problem message | |
| PPT | Patient pathway goal-oriented response | |
| PPV | Patient goal response | |
| PRR | Patient problem response | |
| PTR | Patient pathway problem-oriented response | |
| QBP | Query by parameter | |
| QCK | Deferred query | |
| QCN | Cancel query | |
| QRY | Query, original mode | |
| QSB | Create subscription | |
| QSX | Cancel subscription/acknowledge message | |
| QVR | Query for previous events | |
| RAR | Pharmacy/treatment administration information | |

| Value | Description | Notes |
|-------|-----------------------------------------------------------|-------|
| RAS | Pharmacy/treatment administration message | |
| RCI | Return clinical information | |
| RCL | Return clinical list | |
| RDE | Pharmacy/treatment encoded order message | |
| RDR | Pharmacy/treatment dispense information | |
| RDS | Pharmacy/treatment dispense message | |
| RDY | Display based response | |
| REF | Patient referral | |
| RER | Pharmacy/treatment encoded order information | |
| RGR | Pharmacy/treatment dose information | |
| RGV | Pharmacy/treatment give message | |
| ROR | Pharmacy/treatment order response | |
| RPA | Return patient authorization | |
| RPI | Return patient information | |
| RPL | Return patient display list | |
| RPR | Return patient list | |
| RQA | Request patient authorization | |
| RQC | Request clinical information | |
| RQI | Request patient information | |
| RQP | Request patient demographics | |
| RQQ | Event replay query | |
| RRA | Pharmacy/treatment administration acknowledgement message | |
| RRD | Pharmacy/treatment dispense acknowledgment message | |
| RRE | Pharmacy/treatment encoded order acknowledgment message | |
| RRG | Pharmacy/treatment give acknowledgment message | |

| Value | Description | Notes |
|-------|----------------------------------------------------------|-------|
| RRI | Return referral information | |
| RSP | Segment pattern response | |
| RTB | Tabular response | |
| SIU | Schedule information unsolicited | |
| SPQ | Stored procedure request | |
| SQM | Schedule query message | |
| SQR | Schedule query response | |
| SRM | Schedule request message | |
| SRR | Scheduled request response | |
| SSR | Specimen status request message | |
| SSU | Specimen status update message | |
| SUR | Summary product experience report | |
| TBR | Tabular data response | |
| TCR | Automated equipment test code settings request message | |
| TCU | Automated equipment test code settings update message | |
| UDM | Unsolicited display update message | |
| VQQ | Virtual table query | |
| VXQ | Query for vaccination record | |
| VXR | Vaccination record response | |
| VXU | Unsolicited vaccination record update | |
| VXX | Response for vaccination query with multiple PID matches | |

4.18 User Table 0078 - Abnormal Flags

Used within segment:

OBX - Observation / Result Segment

Refer to HL7 Chapters:

7.4.2.8

| Value | Description | Notes |
|-------|-------------------------------------------------------------------------------------------|-------|
| < | Below absolute low-off instrument scale | |
| > | Above absolute high-off instrument scale | |
| A | Abnormal (applies to non-numeric results) | |
| AA | Very abnormal (applies to non-numeric units, analogous to panic limits for numeric units) | |
| B | Better--use when direction not relevant | |
| D | Significant change down | |
| H | Above high normal | |
| HH | Above upper panic limits | |
| I | Intermediate* | |
| L | Below low normal | |
| LL | Below lower panic limits | |
| MS | Moderately susceptible* | |
| N | Normal (applies to non-numeric results) | |
| R | Resistant* | |
| S | Susceptible* | |
| U | Significant change up | |
| VS | Very susceptible* | |
| W | Worse--use when direction not relevant | |
| UU | Highly Significant Change Up | |
| DD | Highly Significant Change Down | |
| C | Significant Change | |
| CC | Highly Significant Change | |

When no value is provided in the message, then it is interpreted as no range is defined, or normal ranges do not apply.

4.19 HL7 Table 0080 - Nature of abnormal test

Used within segment:

OBX - Observation / Result Segment

Refer to HL7 Chapters:

7.4.2.10

| Value | Description | Notes |
|-------|-----------------------------|-------|
| A | An age-based population | |
| N | None - generic normal range | |
| R | A race-based population | |
| S | A sex-based population | |

4.20 HL7 Table 0085 - Observation result status codes interpretation

Used within segment:

OBX - Observation / Result Segment

Refer to HL7 Chapters:

7.4.2.11

| Value | Description | Notes |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| C | Record coming over is a correction and thus replaces a final result | |
| D | Deletes the OBX record | |
| F | Final results; Can only be changed with a corrected result. | |
| I | Specimen in lab; results pending | |
| N | Not asked; used to affirmatively document that the observation identified in the OBX was not sought when the universal service ID in OBR-4 implies that it would be sought. | |
| O | Order detail description only (no result) | |

| | | |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| P | Preliminary results | |
| R | Results entered -- not verified | |
| S | Partial results | |
| U | Results status change to final without retransmitting results already sent as 'preliminary.' E.g., radiology changes status from preliminary to final | |
| W | Post original as wrong, e.g., transmitted for wrong patient | |
| X | Results cannot be obtained for this observation | |

4.21 User Table 0088 - Procedure Code

Used within segment:

PR1 –Procedures

Refer to HL7 Chapters:

6.5.4.3

This table should contain and support valid primary NHS Procedure codes¹⁶. The current NHS coding standard for Diagnosis Codes is the Classification of Interventions and Procedures standard, OPCS-4.5¹⁷.

4.22 HL7 Table 0091 - Query priority

Used within segment:

RCP - response control parameter segment

Refer to HL7 Chapters:

5.5.5.1

| Value | Description | Notes |
|-------|-------------|-------|
| D | Deferred | |
| I | Immediate | |

¹⁶ http://www.datadictionary.nhs.uk/data_dictionary/attributes/c/cla/clinical_classification_code_de.asp?

¹⁷

http://www.datadictionary.nhs.uk/web_site_content/supporting_information/clinical_coding/opcs_classification_of_interventions_and_procedures.asp?

4.23 User Table 0092 - Readmission Indicator

Used within segment:

PV1 - Patient Visit (HL7 ref 3.4.3)

Refer to HL7 Chapters:

3.4.3.13

| Value | Description | Notes |
|-------|-------------|-------|
| R | Readmission | |

4.24 User Table 0099 - VIP indicator

Used within segment:

PV1 - Patient Visit (HL7 ref 3.4.3)

Refer to HL7 Chapters:

3.4.3.16

| Value | Description | Notes |
|-------|----------------|-------|
| I | Invalid | |
| N | Not stop noted | |
| S | Sensitive | |
| Y | Stop noted | |

This table originates from the PDS data item, Information Sensitivity Indicator¹⁸.

4.25 HL7 Table 0102 - Delayed acknowledgment type

Used within segment:

MSA - message acknowledgment segment

Refer to HL7 Chapters:

2.16.8.6

| Value | Description | Notes |
|-------|-----------------------------------------------|-------|
| D | Message received, stored for later processing | |
| F | acknowledgment after processing | |

4.26 HL7 Table 0104 - Version ID

Used within segment:

MSH - Message Header

¹⁸ <http://systems.hscic.gov.uk/demographics/pds/contents>

Refer to HL7 Chapters:

2.16.8.6

| Value | Description | Notes |
|-------|---------------|-------|
| 2 | Release 2.0 | |
| 2.0D | Demo 2.0 | |
| 2.1 | Release 2. 1 | |
| 2.2 | Release 2.2 | |
| 2.3 | Release 2.3 | |
| 2.3.1 | Release 2.3.1 | |
| 2.4 | Release 2.4 | |

4.27 User Table 0112 - Discharge disposition**Used within segments:**

PV1 - Patient Visit (HL7 ref 3.4.3)

PV2 - Additional Patient Visit (HL7 ref 3.4.4)

Refer to HL7 Chapters:

3.4.3.36

| Value | Description | Notes |
|-------|------------------------------------------|-------|
| 3 | No Follow Up Required | |
| 2 | GP Follow Up | |
| 12 | Left Department Before Treatment | |
| 13 | Left Department - Refused Treatment | |
| 14 | Other | |
| 4 | Referred to A&E Clinic | |
| 6 | Referral to Outpatient Clinic | |
| 5 | Stillbirth | |
| 11 | Referred to Other Health Care Profession | |
| 7 | Transferred to Other Health Care Provide | |
| 10 | Died in Department | |
| 1 | Admitted as inpatient | |

| | | |
|---|----------------|-----------------------------------------------------------------------------------------------|
| 8 | Not applicable | Hospital Provider Spell not yet finished (i.e. not discharged) |
| 9 | Not known | To be used when data enterer has tried to get information but it is not known for any reason. |

This table has values from data dictionary Accident and Emergency Attendance¹⁹, Discharge Method (Admitted Patient care – Inpatient/Day case) respectively²⁰.

4.28 User Table 0113 - Discharge to location

Used within segments:

PV1 - Patient Visit (HL7 ref 3.4.3)

PV2 - Additional Patient Visit (HL7 ref 3.4.4)

Refer to HL7 Chapters:

3.4.3.36

| Value | Description | Notes |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 19 | Usual place of residence unless listed below, for example, a private dwelling whether owner occupied or owned by local authority, housing association or other landlord. This includes wardened accommodation but not residential accommodation where health care is provided. It also includes PATIENTS with no fixed abode. | |
| 29 | Temporary place of residence when usually resident elsewhere (includes hotel, residential educational establishment) | |
| 30 | Repatriation from high security psychiatric accommodation in an NHS hospital provider (NHS trust) | |
| 37 | Court | |
| 38 | Penal establishment or police station | |
| 48 | High Security Psychiatric Hospital, Scotland | |

¹⁹ http://www.datadictionary.nhs.uk/data_dictionary/attributes/a/a_and_e_attendance_disposal_de.asp

²⁰ http://www.datadictionary.nhs.uk/data_dictionary/attributes/d/disc/discharge_method_de.asp

| Value | Description | Notes |
|-------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| 49 | NHS other hospital provider - high security psychiatric accommodation | |
| 50 | NHS other hospital provider - medium secure unit | |
| 51 | NHS other hospital provider - ward for general patients or the younger physically disabled | |
| 52 | NHS other hospital provider - ward for maternity patients or neonates | |
| 53 | NHS other hospital provider - ward for patients who are mentally ill or have learning disabilities | |
| 54 | NHS run care home | |
| 65 | Local Authority residential accommodation ie where care is provided | |
| 66 | Local Authority foster care | |
| 79 | Not applicable - patient died or still birth | |
| 84 | Non-NHS run hospital - medium secure unit | |
| 85 | Non-NHS (other than Local Authority) run care home | |
| 79 | Not applicable - patient died or still birth | |
| 84 | Non-NHS run hospital - medium secure unit | |
| 85 | Non-NHS (other than Local Authority) run care home | |
| 87 | Non-NHS run hospital | |
| 88 | Non-NHS (other than Local Authority) run Hospice | |
| 98 | Not applicable | Hospital provider spell not finished at episode end (i.e. not discharged, or current episode unfinished) |
| 99 | Not known | To be used when data enterer has tried to get information but it is not known for any reason. |

The destination of a patient on completion of a Hospital Provider Spell, or a note that the patient died or was a still birth.

This table should contain and support valid Discharge Destination codes²¹.

4.29 User Table 0114 - Diet type

Used within segment:

PV1 - Patient Visit (HL7 ref 3.4.3)

Refer to HL7 Chapter:

3.4.3.38

| Value | Description | Notes |
|-------|----------------------------------------------|---------------------------|
| 1 | Non-specific | |
| 02A | Healthcare Prescribed - Gluten Free Diet | Healthcare Prescribed |
| 02B | Healthcare Prescribed - Wheat Free Diet | Healthcare Prescribed |
| 02C | Healthcare Prescribed - Diabetic Diet | Healthcare Prescribed |
| 02Z | Healthcare Prescribed - Other (specify) | Healthcare Prescribed |
| 03A | Non Healthcare Prescribed - Weight loss diet | Non Healthcare Prescribed |
| 03B | Non Healthcare Prescribed - Weight gain diet | Non Healthcare Prescribed |
| 03C | Non Healthcare Prescribed - Vegetarian diet | Non Healthcare Prescribed |
| 03D | Non Healthcare Prescribed - Vegan diet | Non Healthcare Prescribed |
| 03E | Non Healthcare Prescribed - Halal Diet | Non Healthcare Prescribed |
| 03F | Non Healthcare Prescribed - Kosher Diet | Non Healthcare Prescribed |
| 03Z | Non Healthcare Prescribed - Other (specify) | Non Healthcare Prescribed |
| 98 | Other (specify) | |
| 99 | Not known | |

²¹ http://www.datadictionary.nhs.uk/data_dictionary/attributes/d/disc/discharge_destination_de.asp

Please note that these values may be subject to change.

4.30 HL7 Table 0125 - Value type

Used within segment:

OBX - Observation / Result Segment

Refer to HL7 Chapter:

7.4.2.2

| Value | Description | Notes |
|-------|------------------------------------------------|-------|
| AD | Address | |
| CE | Coded Entry | |
| CF | Coded Element With Formatted Values | |
| CK | Composite ID With Check Digit | |
| CN | Composite ID And Name | |
| CP | Composite Price | |
| CX | Extended Composite ID With Check Digit | |
| DT | Date | |
| ED | Encapsulated Data | |
| FT | Formatted Text (Display) | |
| MO | Money | |
| NM | Numeric | |
| PN | Person Name | |
| RP | Reference Pointer | |
| RP | Reference Pointer | |
| SN | Structured Numeric | |
| ST | String Data. | |
| TM | Time | |
| TN | Telephone Number | |
| TS | Time Stamp (Date & Time) | |
| TX | Text Data (Display) | |
| XAD | Extended Address | |
| XCN | Extended Composite Name And Number For Persons | |
| XCN | Extended Composite Name And | |

| Value | Description | Notes |
|-------|------------------------------------------------------|-------|
| | Number For Persons | |
| XON | Extended Composite Name And Number For Organizations | |
| XPN | Extended Person Name | |
| XTN | Extended Telecommunications Number | |

4.31 HL7 Table 0126 - Quantity limited request

Used within segment:

RCP - response control parameter segment

Refer to HL7 Chapter:

5.5.5.2

| Value | Description | Notes |
|-------|-----------------|-------|
| CH | Characters | |
| LI | Lines | |
| PG | Pages | |
| RD | Records | |
| ZO | Locally defined | |

4.32 User Table 0127 - Allergy type

Used within segment:

AL1 - Additional Patient Visit (HL7 ref 3.5.6)

Refer to HL7 Chapter:

3.5.6.2

| Value | Description | Notes |
|-------|-----------------------|-------|
| AA | Animal Allergy | |
| DA | Drug allergy | |
| EA | Environmental Allergy | |
| IO | Iodine | |
| OC | Organic Chemicals | |
| IC | Inorganic Chemicals | |
| IN | Insects | |

| | | |
|----|--------------------------------|--|
| FA | Food allergy | |
| LA | Pollen Allergy | |
| MA | Miscellaneous allergy | |
| MC | Miscellaneous contraindication | |
| PA | Plant Allergy | |

4.33 User Table 0128 - Allergy severity

Used within segment:

AL1 - Additional Patient Visit (HL7 ref 3.5.6)

Refer to HL7 Chapter:

3.5.6.4

| Value | Description | Notes |
|-------|-----------------------|-------|
| 0 | Unknown | |
| 1 | Insignificant/Minimal | |
| 3 | Mild | |
| 5 | Moderate | |
| 7 | Moderate-Severe | |
| 9 | Very Severe | |

4.34 User Table 0131 - Contact Role

Used within segment:

NK1 - Next of Kin (NOK) / Associated Parties (AP) (HL7 ref 3.4.3)

Refer to HL7 Chapter:

A.4.3.6

Until suitable values are available to represent contact role, this table should use all values used within HL7 Table 0063 - Relationship, sourced from the PDS data item Relationship Type, Person Demographics Service (PDS).

4.35 HL7 Table 0136 - Yes/no indicator

| Value | Description | Notes |
|-------|-------------|-------|
| N | No | |
| Y | Yes | |

4.36 User Table 0171 - Citizenship (Overseas Visitor Status)

Used within segments:

PID - Patient Identification (HL7 ref 3.5.2)

ZU1 - UK Additional Data (HL7 ref A.4.3.1)

Refer to HL7 Chapter:

3.5.2.26, A.4.3.1.10

| Value | Description | Notes |
|-------|--------------------------------------------------------------|-------------------------|
| 1 | Exempt from payment - subject to reciprocal health agreement | |
| 2 | Exempt from payment - other | |
| 3 | To pay hotel fees only | |
| 4 | To pay all fees | |
| 9 | Charging rate not known | |
| 8 | Not applicable | Not an Overseas Visitor |

NHS organisations must determine eligibility for free treatment for patients. This is done normally by a questionnaire based upon Department of Health Guidance²², that results in an Overseas Visitors Status being assigned.

The above table was sourced from the NHS Data Model and Dictionary (NHS DD) attribute Overseas Visitor Status Classification²³.

4.37 User Table 0189 - Ethnic group

Used within segment:

PID - Patient Identification (HL7 ref 3.5.2)

Refer to HL7 Chapter:

3.5.2.22

| Value | Description | Notes |
|-------|----------------------------|-------|
| A | British | White |
| B | Irish | White |
| C | Any other White background | White |

²² http://www.dh.gov.uk/en/Healthcare/Entitlementsandcharges/OverseasVisitors/Browsable/DH_074373

²³

http://www.datadictionary.nhs.uk/data_dictionary/attributes/o/out/overseas_visitors_status_classification_de.asp?

| Value | Description | Notes |
|-------|----------------------------|-----------------------------------------------------------------------------------------------|
| D | White and Black Caribbean | Mixed |
| E | White and Black African | Mixed |
| F | White and Asian | Mixed |
| G | Any other mixed background | Mixed |
| H | Indian | Asian or Asian British |
| J | Pakistani | Asian or Asian British |
| K | Bangladeshi | Asian or Asian British |
| L | Any other Asian background | Asian or Asian British |
| M | Caribbean | Black or Black British |
| N | African | Black or Black British |
| P | Any other Black background | Black or Black British |
| R | Chinese | Other Ethnic Groups |
| S | Any other ethnic group | Other Ethnic Groups |
| Z | Not stated | |
| 99 | Not known | To be used when data enterer has tried to get information but it is not known for any reason. |

The above table was sourced from the NHS Data Model and Dictionary attribute Ethnic Category Code²⁴. This is based on the classification used in the e-GIF/GDSC data element Person Ethnicity²⁵ and for the 2001 UK census. These values are subject to change due to the possibility of new classifications, to be used for the 2011 census.

Status:

| | |
|-----------|------------------------------------------------------------|
| HL7-UK A2 | <i>Differs - Discuss with HL7-UK A2 to reflect the NHS</i> |
| IHE TF | <i>Differs - Discuss with IHE-UK to reflect the NHS</i> |

The following table indicates a mapping from the User table 0189 to the above values.

| HL7 Value | HL7 Description | NHS value | NHS Description |
|-----------|------------------------|-----------|------------------------|
| H | Hispanic or Latino | S | Any other ethnic group |
| N | Not Hispanic or Latino | S | Any other ethnic group |
| U | Unknown | Z | Not stated |

²⁴ http://www.datadictionary.nhs.uk/data_dictionary/attributes/e/enh/ethnic_category_code_de.asp?

²⁵ <http://www.govtalk.gov.uk/gdsc/html/frames/PersonEthnicity-1-0-Draft.htm>

4.38 HL7 Table 0190 - Address type

Used within datatypes:

Patient Address (XAD)

XAD – Extended Address

| Value | Description | Notes |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| B | Firm/Business | |
| BA | Bad address | |
| BDL | Birth delivery location (address where birth occurred) | |
| BR | Residence at birth (home address at time of birth) | |
| C | Current Or Temporary | |
| F | Country Of Origin | |
| H | Home | |
| L | Legal Address | |
| M | Mailing | |
| N | Birth (nee) (birth address, not otherwise specified) | |
| O | Office | |
| P | Permanent | |
| RH | Registry home. Refers to the information system, typically managed by a public health agency, that stores patient information such as immunization histories or cancer data, regardless of where the patient obtains services. | |

Status:

| | |
|-----------|------------------------------------------------------------|
| HL7-UK A2 | <i>Differs - Discuss with HL7-UK A2 to reflect the NHS</i> |
| IHE TF | <i>Differs - Discuss with IHE-UK to reflect the NHS</i> |

The following table indicates a mapping from the HL7 table 0190 to these values based on the Person Demographics Service (PDS) data item Name Type.

| HL7 Value | HL7 Description | NHS value | NHS Description |
|-----------|-----------------|-----------|-----------------|
| B | Firm/Business | | |
| BA | Bad address | | |

| HL7 Value | HL7 Description | NHS value | NHS Description |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------|
| BDL | Birth delivery location (address where birth occurred) | | |
| BR | Residence at birth (home address at time of birth) | | |
| C | Current Or Temporary | "TMP" | Temporary Address |
| F | Country Of Origin | | |
| H | Home | "H" | Home Address |
| L | Legal Address | | |
| M | Mailing | "PST" | Postal Address |
| N | Birth (nee) (birth address, not otherwise specified) | | |
| O | Office | | |
| P | Permanent | | |
| RH | Registry home. Refers to the information system, typically managed by a public health agency, that stores patient information such as immunization histories or cancer data, regardless of where the patient obtains services. | | |

4.39 HL7 Table 0200 - Name type

Used within datatypes:

Patient Alias (XPN)

XPN – Extended Person Name

| Value | Description | Notes |
|-------|-------------------------------------------------------------------|-------|
| A | Alias Name | |
| B | Name at Birth | |
| C | Adopted Name | |
| D | Display Name | |
| I | Licensing Name | |
| L | Legal Name | |
| M | Maiden Name | |
| N | Nickname /"Call me" Name/Street Name | |
| P | Name of Partner/Spouse (retained for backward compatibility only) | |

| | | |
|---|---------------------------------------|--|
| R | Registered Name (animals only) | |
| S | Coded Pseudo-Name to ensure anonymity | |
| T | Indigenous/Tribal/Community Name | |
| U | Unspecified | |

The following table indicates a mapping from the HL7 table 0200 to these values based on the Person Demographics Service (PDS).

| HL7 Value | HL7 Description | NHS value | NHS Description |
|-----------|-------------------------------------------------------------------|-----------------|---------------------|
| A | Alias Name | A | Alias name |
| B | Name at Birth | PREVIOUS-BIRTH | Birth name |
| C | Adopted Name | | |
| D | Display Name | | |
| I | Licensing Name | | |
| L | Legal Name | | |
| M | Maiden Name | PREVIOUS-MAIDEN | Maiden name |
| N | Nickname /"Call me" Name/Street Name | PREFERRED | Preferred name |
| P | Name of Partner/Spouse (retained for backward compatibility only) | | |
| R | Registered Name (animals only) | | |
| S | Coded Pseudo-Name to ensure anonymity | | |
| T | Indigenous/Tribal/Community Name | | |
| U | Unspecified | PREVIOUS | Other previous name |

4.40 HL7 Table 0201 - Telecommunication use code

Used within datatypes:

Phone Number – Home (XTN)

Phone Number – Business (XTN)

XTN – Extended Telecommunication Number

| Value | Description | Notes |
|-------|--------------------------|-------|
| ASN | Answering Service Number | |
| BPN | Beeper Number | |

| | | |
|-----|--------------------------|--|
| EMR | Emergency Number | |
| NET | Network (email) Address | |
| ORN | Other Residence Number | |
| PRN | Primary Residence Number | |
| VHN | Vacation Home Number | |
| WPN | Work Number | |

Status:

| | |
|-----------|------------------------------------------------------------|
| HL7-UK A2 | <i>Differs - Discuss with HL7-UK A2 to reflect the NHS</i> |
| IHE TF | <i>Differs - Discuss with IHE-UK to reflect the NHS</i> |

The following table indicates a mapping from the HL7 table 0201 to these values based on the Person Demographics Service (PDS) data item Telecom Usage.

| HL7 Value | HL7 Description | NHS value | NHS Description |
|-----------|--------------------------|-----------|---------------------------------------------------------------------------------|
| ASN | Answering Service Number | AS | An automated answering machine |
| BPN | Beeper Number | PG | A paging device suitable to solicit a callback or to leave a very short message |
| EMR | Emergency Number | EC | A contact specifically designated to be used for emergencies |
| NET | Network (email) Address | | |
| ORN | Other Residence Number | HP | The primary home, to reach a person after business hours |
| PRN | Primary Residence Number | H | A communication address at a home |
| VHN | Vacation Home Number | HV | A vacation home, to reach a person while on vacation |
| WPN | Work Number | WP | An office address |
| | | MC | A telecommunication device that moves and stays with its owner |

4.41 HL7 Table 0202 - Telecommunication equipment type

Used within datatypes:

Phone Number – Home (XTN)

Phone Number – Business (XTN)

XTN – Extended Telecommunication Number

| Value | Description | Notes |
|----------|--------------------------------------------------------------------|-------|
| BP | Beeper | |
| CP | Cellular Phone | |
| FX | Fax | |
| Internet | Internet Address: Use Only If Telecommunication Use Code Is NET | |
| MD | Modem | |
| PH | Telephone | |
| X.400 | X.400 email address: Use Only If Telecommunication Use Code Is NET | |

Status:

| | |
|-----------|------------------------------------------------------------|
| HL7-UK A2 | <i>Differs - Discuss with HL7-UK A2 to reflect the NHS</i> |
| IHE TF | <i>Differs - Discuss with IHE-UK to reflect the NHS</i> |

The following table indicates a mapping from the HL7 table 0202 to these values based on the Person Demographics Service data item Communication contact method (PDS).

| HL7 Value | HL7 Description | NHS value | NHS Description |
|-----------|--------------------------------------------------------------------|-----------|-----------------|
| BP | Beeper | textphone | By textphone |
| CP | Cellular Phone | tel | By telephone |
| FX | Fax | fax | By fax |
| Internet | Internet Address: Use Only If Telecommunication Use Code Is NET | | |
| MD | Modem | fax | By fax |
| PH | Telephone | tel | By telephone |
| X.400 | X.400 email address: Use Only If Telecommunication Use Code Is NET | mailto | By e-mail |

4.42 User Table 0204 - Organizational name type

Used within datatypes:

Patient Primary Facility (XON)

XON – Extended Composite Name and Identification Number for Organisations

| Value | Description | Notes |
|-------|-----------------------------|-------|
| A | Alias name | |
| D | Display name | |
| L | Legal name | |
| SL | Stock exchange listing name | |

4.43 HL7 Table 0208 - Query response status

Used within segment:

QAK- query acknowledgment segment

Refer to HL7 Chapter:

5.5.2.2

| Value | Description | Notes |
|-------|---------------------------------------------|-------|
| AE | Application error | |
| AR | Application reject | |
| NF | No data found, no errors | |
| OK | Data found, no errors (this is the default) | |

4.44 HL7 Table 0211 - Character set

| Value | Description | Notes |
|--------|------------------------------------------------------------|-------|
| 8859/1 | The printable characters from the ISO 8859/1 Character set | |
| 8859/2 | The printable characters from the ISO 8859/2 Character set | |
| 8859/3 | The printable characters from the ISO 8859/3 Character set | |
| 8859/4 | The printable characters from the ISO 8859/4 Character set | |
| 8859/5 | The printable characters from the ISO 8859/5 Character set | |

| Value | Description | Notes |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 8859/6 | The printable characters from the ISO 8859/6 Character set | |
| 8859/7 | The printable characters from the ISO 8859/7 Character set | |
| 8859/8 | The printable characters from the ISO 8859/8 Character set | |
| 8859/9 | The printable characters from the ISO 8859/9 Character set | |
| ASCII | The printable 7-bit ASCII character set. (This is the default if this field is omitted) | |
| ISO IR14 | Code for Information Exchange (one byte)(JIS X 0201-1976). Note that the code contains a space, i.e. "ISO IR14". | |
| ISO IR159 | Code of the supplementary Japanese Graphic Character set for information interchange (JIS X 0212-1990). Note that the code contains a space, i.e. "ISO IR159". | |
| ISO IR87 | Code for the Japanese Graphic Character set for information interchange (JIS X 0208-1990), Note that the code contains a space, i.e. "ISO IR87". | |
| UNICODE | The world wide character standard from ISO/IEC 10646-1-19931 | |

4.45 User Table 0212 – Nationality

Used within segment and data type:

PID – Patient Identification (HL7 ref 3.5.2)

Nationality (CE)

Refer to HL7 Chapter:

3.5.2.28

This field identifies the nation or national grouping to which the person belongs. This information may be different from a person's citizenship in countries in which multiple nationalities are recognized (for example, Spain: Basque, Catalan, etc.).

However until suitable values are available to represent nationality, this table should use all values used within HL7 Table 0399 - Country code, sourced from the International Standard ISO 3166-1 Alpha 3 codes.

4.46 User Table 0217 - Visit priority code

Used within segment:

PV2 – Additional Patient Visit (HL7 ref 3.4.4).

Refer to HL7 Chapter:

3.4.4.25

| Value | Description | Notes |
|-------|-------------|-------|
| 1 | Emergency | |
| 2 | Urgent | |
| 3 | Elective | |

4.47 User Table 0220 - Living arrangement

Used within segment:

PD1 – Patient Identification (HL7 ref 3.5.8)

Refer to HL7 Chapter:

3.5.8.2

| Value | Description | Notes |
|-------|-------------|-------|
| A | Alone | |
| F | Family | |
| I | Institution | |
| R | Relative | |
| S | Spouse Only | |
| U | Unknown | |

4.48 User Table 0228 - Diagnosis classification

Used within segment:

DG1 – Diagnostic Information

Refer to HL7 Chapter:

6.5.2.17

| Value | Description | Notes |
|-------|-----------------------------------|-------|
| C | Consultation | |
| D | Diagnosis | |
| I | Invasive procedure not classified | |

| | | |
|---|------------------------------------------------|--|
| | elsewhere (I.V., catheter, etc.) | |
| M | Medication (antibiotic) | |
| O | Other | |
| R | Radiological scheduling (not using ICDA codes) | |
| S | Sign and symptom | |
| T | Tissue diagnosis | |

4.49 User Table 0230 - Procedure functional type

Used within segment:

PR1 –Procedures

Refer to HL7 Chapter:

6.5.4.6

| Value | Description | Notes |
|-------|------------------------------------------------------------------------|-------|
| D | Diagnostic procedure | |
| A | Anaesthesia | |
| I | Invasive procedure not classified elsewhere (e.g., IV, catheter, etc.) | |
| P | Procedure for treatment (therapeutic, including operations) | |

4.50 User Table 0277 - Appointment type codes

Used within segment:

ZU3 – UK Additional Data – Attendance Details (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.3.8

| Value | Description | Notes |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| Complete | A request to add a completed appointment, used to maintain records of completed appointments that did not appear in the schedule (e.g., STAT, walk-in, etc.) | |
| Normal | Routine schedule request type - default if not valued | |
| Tentative | A request for a tentative (e.g., "pencilled in") appointment | |

4.51 User Table 0289 - County/parish code

Used within datatype:

Patient Address (XAD)

This table should contain and support valid 3 characters ODS NHS Strategic Health Authority (SHA) Codes to indicate the unique identifier of Health Authority of Residence (HAR) the patient belongs to. Valid NHS SHA codes²⁶ can be found on the ODS downloads site.

4.52 User Table 0296 - Primary language

Used within segments and datatype:

PID – Patient Identification (HL7 ref 3.5.2)

NK1 – Next of Kin (NOK) / Associated Parties (AP) (HL7 ref 3.4.3)

Primary Language – Patient

Refer to HL7 Chapter:

3.5.2.15

| Value | Description | Notes |
|-------|--------------------------|---------------------------|
| q1 | Braille | This will not flow to PDS |
| q2 | American Sign Language | This will not flow to PDS |
| q3 | Australian Sign Language | This will not flow to PDS |
| q4 | British Sign Language | This will not flow to PDS |
| q5 | Makaton | This will not flow to PDS |
| aa | Afar | |
| ab | Abkhazian | |
| ae | Avestan | |
| af | Afrikaans | |
| ak | Akan | |
| am | Amharic | |
| an | Aragonese | |
| ar | Arabic | |
| as | Assamese | |
| av | Avaric | |
| ay | Aymara | |

²⁶ <http://systems.hscic.gov.uk/data/ods>

| Value | Description | Notes |
|-------|------------------------------------------------------------------------------------------|-------|
| az | Azerbaijani | |
| ba | Bashkir | |
| be | Belarusian | |
| bg | Bulgarian | |
| bh | Bihari languages | |
| bi | Bislama | |
| bm | Bambara | |
| bn | Bengali | |
| bo | Tibetan | |
| br | Breton | |
| bs | Bosnian | |
| ca | Catalan; Valencian | |
| ce | Chechen | |
| ch | Chamorro | |
| co | Corsican | |
| cr | Cree | |
| cs | Czech | |
| cu | Church Slavonic; Old Slavonic; Church Slavonic; Old Bulgarian; Old Church Slavonic | |
| cv | Chuvash | |
| cy | Welsh | |
| da | Danish | |
| de | German | |
| dv | Divehi; Dhivehi; Maldivian | |
| dz | Dzongkha | |
| ee | Ewe | |
| el | Greek, Modern (1453-) | |
| en | English | |
| eo | Esperanto | |
| es | Spanish; Castilian | |
| et | Estonian | |

| Value | Description | Notes |
|-------|------------------------------------------------------------|-------|
| eu | Basque | |
| fa | Persian | |
| ff | Fulah | |
| fi | Finnish | |
| fj | Fijian | |
| fo | Faroese | |
| fr | French | |
| fy | Western Frisian | |
| ga | Irish | |
| gd | Gaelic; Scottish Gaelic | |
| gl | Galician | |
| gn | Guarani | |
| gu | Gujarati | |
| gv | Manx | |
| ha | Hausa | |
| he | Hebrew | |
| hi | Hindi | |
| ho | Hiri Motu | |
| hr | Croatian | |
| ht | Haitian; Haitian Creole | |
| hu | Hungarian | |
| hy | Armenian | |
| hz | Herero | |
| ia | Interlingua (International Auxiliary Language Association) | |
| id | Indonesian | |
| ie | Interlingue; Occidental | |
| ig | Igbo | |
| ii | Sichuan Yi; Nuosu | |
| ik | Inupiaq | |
| io | Ido | |
| is | Icelandic | |

| Value | Description | Notes |
|-------|----------------------------------|-------|
| it | Italian | |
| iu | Inuktitut | |
| ja | Japanese | |
| jv | Javanese | |
| ka | Georgian | |
| kg | Kongo | |
| ki | Kikuyu; Gikuyu | |
| kj | Kuanyama; Kwanyama | |
| kk | Kazakh | |
| kl | Kalaallisut; Greenlandic | |
| km | Central Khmer | |
| kn | Kannada | |
| ko | Korean | |
| kr | Kanuri | |
| ks | Kashmiri | |
| ku | Kurdish | |
| kv | Komi | |
| kw | Cornish | |
| ky | Kirghiz; Kyrgyz | |
| la | Latin | |
| lb | Luxembourgish; Letzeburgesch | |
| lg | Ganda | |
| li | Limburgan; Limburger; Limburgish | |
| ln | Lingala | |
| lo | Lao | |
| lt | Lithuanian | |
| lu | Luba-Katanga | |
| lv | Latvian | |
| mg | Malagasy | |
| mh | Marshallese | |
| mi | Maori | |
| mk | Macedonian | |

| Value | Description | Notes |
|-------|---------------------------------------|-------|
| ml | Malayalam | |
| mn | Mongolian | |
| mr | Marathi | |
| ms | Malay | |
| mt | Maltese | |
| my | Burmese | |
| na | Nauru | |
| nb | Bokmål, Norwegian; Norwegian Bokmål | |
| nd | Ndebele, North; North Ndebele | |
| ne | Nepali | |
| ng | Ndonga | |
| nl | Dutch; Flemish | |
| nn | Norwegian Nynorsk; Nynorsk, Norwegian | |
| no | Norwegian | |
| nr | Ndebele, South; South Ndebele | |
| nv | Navajo; Navaho | |
| ny | Chichewa; Chewa; Nyanja | |
| oc | Occitan (post 1500) | |
| oj | Ojibwa | |
| om | Oromo | |
| or | Oriya | |
| os | Ossetian; Ossetic | |
| pa | Panjabi; Punjabi | |
| pi | Pali | |
| pl | Polish | |
| ps | Pushto; Pashto | |
| pt | Portuguese | |
| qu | Quechua | |
| rm | Romansh | |
| rn | Rundi | |

| Value | Description | Notes |
|-------|-------------------------------|-------|
| ro | Romanian; Moldavian; Moldovan | |
| ru | Russian | |
| rw | Kinyarwanda | |
| sa | Sanskrit | |
| sc | Sardinian | |
| sd | Sindhi | |
| se | Northern Sami | |
| sg | Sango | |
| si | Sinhala; Sinhalese | |
| sk | Slovak | |
| sl | Slovenian | |
| sm | Samoan | |
| sn | Shona | |
| so | Somali | |
| sq | Albanian | |
| sr | Serbian | |
| ss | Swati | |
| st | Sotho, Southern | |
| su | Sundanese | |
| sv | Swedish | |
| sw | Swahili | |
| ta | Tamil | |
| te | Telugu | |
| tg | Tajik | |
| th | Thai | |
| ti | Tigrinya | |
| tk | Turkmen | |
| tl | Tagalog | |
| tn | Tswana | |
| to | Tonga (Tonga Islands) | |
| tr | Turkish | |
| ts | Tsonga | |

| Value | Description | Notes |
|-------|----------------|-------|
| tt | Tatar | |
| tw | Twi | |
| ty | Tahitian | |
| ug | Uighur; Uyghur | |
| uk | Ukrainian | |
| ur | Urdu | |
| uz | Uzbek | |
| ve | Venda | |
| vi | Vietnamese | |
| vo | Volapük | |
| wa | Walloon | |
| wo | Wolof | |
| xh | Xhosa | |
| yi | Yiddish | |
| yo | Yoruba | |
| za | Zhuang; Chuang | |
| zh | Chinese | |
| zu | Zulu | |

The above table is sourced from a combination of International Standard ISO 639-1 and five additional codes, prefixed with q, specially provided to represent non spoken languages. These five additional codes are not supported by the NHS Person Demographics Service (PDS) and exist only to be stored in and communicated between local systems.

4.53 User Table 0340 - Procedure Code modifier

Used within segment:

PR1 –Procedures

Refer to HL7 Chapter:

6.5.4.16

This table should contain and support valid NHS Procedure codes²⁷ that are supplementary to the primary Procedure Code in User Table 88. The current NHS coding standard for

²⁷ http://www.datadictionary.nhs.uk/data_dictionary/attributes/c/cla/clinical_classification_code_de.asp?

Diagnosis Codes is the Classification of Interventions and Procedures standard, OPCS-4.5²⁸.

4.54 HL7 Table 0356 - Alternate character set handling scheme

Used within segment:

MSH – Message Header

| Value | Description | Notes |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 2.3 | The character set switching mode specified in HL7 2.3, sections 2.8.28.6.1, and 2.9.2. Note that the escape sequences used in this mode do not use the ASCII "esc" character. They are "HL7 escape sequences" as defined in HL7 2.3, sec. 2.9 as defined in I | |
| ISO 2022-1994 | This standard is titled "Information Technology - Character Code Structure and Extension Technique". This standard specifies an escape sequence from basic one byte character set to specified other character set, and vice versa. | |

When no value is provided in the message which is default indicates that there is no character set switching occurring in this message.

4.55 HL7 Table 0357 - Message error condition codes

Used within segment:

MSA - message acknowledgment segment

Refer to HL7 Chapter:

2.16.8.7

| Value | Description | Notes |
|-------|------------------------|-------|
| 0 | Message accepted | |
| 100 | Segment sequence error | |
| 101 | Required field missing | |
| 102 | Data type error | |

28

http://www.datadictionary.nhs.uk/web_site_content/supporting_information/clinical_coding/opcs_classification_of_interventions_and_procedures.asp?

| Value | Description | Notes |
|-------|----------------------------|-------|
| 103 | Table value not found | |
| 200 | Unsupported message type | |
| 201 | Unsupported event code | |
| 202 | Unsupported processing id | |
| 203 | Unsupported version id | |
| 204 | Unknown key identifier | |
| 205 | Duplicate key identifier | |
| 206 | Application record locked | |
| 207 | Application internal error | |

4.56 HL7 Table 0359 - Diagnosis priority

Used within segment:

MSA - message acknowledgment segment

Refer to HL7 Chapter:

6.5.2.15

| Value | Description | Notes |
|-------|-----------------------------------|-------|
| 0 | Not included in diagnosis ranking | |
| 1 | The primary diagnosis | |
| 2 | For ranked secondary diagnoses | |

4.57 User Table 0361 - Sending/receiving application

Used within segment:

MSH – Message Header

| Value | Description | Notes |
|-------|-------------|----------------------------------------------------------|
| ROUTE | | The toolkit will take responsibility for onward routing. |

There are currently no suggested values for this release. Until nationally agreed values are provided, local values should be used.

Where the message is being broadcast by PAS to a number of consumer systems via the toolkit, this field should be populated with 'ROUTE' to indicate that the toolkit will take responsibility for onward routing.

4.58 User Table 0362 - Sending/receiving facility

Used within segment:

MSH – Message Header

Refer to HL7 Chapter:

| Value | Description | Notes |
|-------|-------------|----------------------------------------------------------|
| ROUTE | | The toolkit will take responsibility for onward routing. |

This table should contain and support valid 5 characters ODS NHS Organisation Site Codes to indicate the unique identifier of the healthcare site the patient has been discharged to. Valid NHS Organisation site codes²⁹ can be found on the ODS downloads site.

Where the message is being broadcast by PAS to a number of consumer systems via the toolkit, this field should be populated with 'ROUTE' to indicate that the toolkit will take responsibility for onward routing.

4.59 User Table 0363 - Assigning authority

Used within datatypes:

Patient Identifiers (CX)

Patient Account Number (CX)

Mother's Identifier (CX)

CX – Extended Composite ID with Check Digit

XCN – Extended Composite ID Number and Name for Persons

XON – Extended Composite Name and Identification Number for Organisations

| Value | Description | Notes |
|-------|-------------|-------|
| NHS | NHS Number | |

Note - Use 'NHS' when ID type is NHS Number otherwise use local system code. Local code use will require mutual agreement between participating systems.

²⁹ <http://systems.hscic.gov.uk/data/ods>

4.60 HL7 Table 0391 - Segment group

Used within segment:

RCP – response control parameter segment

Refer to HL7 Chapter:

3.5.2.15

| Value | Description | Notes |
|-------|-------------|-------|
| OBRG | OBR group | |
| ORCG | ORC group | |
| PIDG | PID group | |
| RXAG | RXA group | |
| RXDG | RXD group | |
| RXEG | RXE group | |
| RXOG | RXO group | |

4.61 HL7 Table 0392 - Match reason

Used within segment:

QRI – query response instance segment

Refer to HL7 Chapter:

5.5.4.2

| Value | Description | Notes |
|-------|---------------------------------|-------|
| DB | Match on Date of Birth | |
| NA | Match on Name (Alpha Match) | |
| NP | Match on Name (Phonetic Match) | |
| SS | Match on Social Security Number | |

4.62 User Table 0393 - Match algorithms

Used within segment:

QRI – query response instance segment

Refer to HL7 Chapter:

5.5.4.3

| Value | Description | Notes |
|---------------|---------------|-------|
| LINKSOFT_2.01 | LINKSOFT_2.01 | |
| MATCHWARE_1.2 | MATCHWARE_1.2 | |

4.63 HL7 Table 0394 - Response modality

Used within segment:

RCP – response control parameter segment

Refer to HL7 Chapter:

5.5.5.3

| Value | Description | Notes |
|-------|-------------------------------------------------------------------------------------|-------|
| B | Batch | |
| R | Real Time | |
| T | Bolus (a series of responses sent at the same time without use of batch formatting) | |

4.64 HL7 Table 0395 - Modify indicator

Used within segment:

RCP – response control parameter segment

Refer to HL7 Chapter:

5.5.5.5

| Value | Description | Notes |
|-------|-----------------------|-------|
| M | Modified Subscription | |
| N | New Subscription | |

4.65 User Table 0396 - Coding System

| Value | Description | Notes |
|-------|---------------------------------------------|-------|
| L | Local general code | |
| ACR | American College of Radiology finding codes | |
| ART | WHO Adverse Reaction Terms | |
| AS4 | ASTM E1238/ E1467 Universal | |
| AS4E | AS4 Neurophysiology Codes | |
| ATC | American Type Culture Collection | |
| C4 | CPT-4 | |
| C5 | CPT-5 | |
| CAS | Chemical abstract codes | |

| Value | Description | Notes |
|-------|-------------------------------------|-------|
| CD2 | CDT-2 Codes | |
| CDCA | CDC Analyte Codes | |
| CDCM | CDC Methods/Instruments Codes | |
| CDS | CDC Surveillance | |
| CE | CEN ECG diagnostic codes | |
| CLP | CLIP | |
| CPTM | CPT Modifier Code | |
| CST | COSTART | |
| CVX | CDC Vaccine Codes | |
| DCL | DICOM Class Label | |
| DCM | DICOM modality codes | |
| DQL | DICOM Query Label | |
| E | EUCLIDES | |
| E5 | Euclides quantity codes | |
| E6 | Euclides Lab method codes | |
| E7 | Euclides Lab equipment codes | |
| ENZC | Enzyme Codes | |
| FDDC | First DataBank Drug Codes | |
| FDDX | First DataBank Diagnostic Codes | |
| FDK | FDA K10 | |
| HB | HIBCC | |
| HCPCS | HCFA Common Procedure Coding System | |
| HHC | Home Health Care | |
| HI | Health Outcomes | |
| HPC | HCFA Procedure Codes (HCPCS) | |
| I10 | ICD-10 | |
| I10P | ICD-10 Procedure Codes | |
| I9 | ICD9 | |
| I9C | ICD-9CM | |
| IBT | ISBT | |
| IC2 | ICHPPC-2 | |

| Value | Description | Notes |
|-------|-----------------------------------------------------------------------------------------------------------------------|-------|
| ICDO | International Classification of Diseases for Oncology | |
| ICS | ICCS | |
| ICSD | International Classification of Sleep Disorders | |
| IUPC | IUPAC/IFCC Component Codes | |
| IUPP | IUPAC/IFCC Property Codes | |
| JC8 | Japanese Chemistry | |
| LB | Local billing code | |
| LN | Logical Observation Identifier Names and Codes (LOINC(r)) | |
| MCD | Medicaid | |
| MCR | Medicare | |
| MDDX | Medispan Diagnostic Codes | |
| MEDC | Medical Economics Drug Codes | |
| MEDR | Medical Dictionary for Drug Regulatory Affairs (MEDDRA) | |
| MEDX | Medical Economics Diagnostic Codes | |
| MGPI | Medispan GPI | |
| MVX | CDC Vaccine Manufacturer Codes | |
| NDA | NANDA | |
| NDC | National drug codes | |
| NIC | Nursing Interventions Classification | |
| NPI | National Provider Identifier | |
| OHA | Omaha System | |
| OPCS4 | Office of Population, Censuses and Surveys Classification of Surgical Operations and Procedures (OPCS) – 4th revision | |
| POS | POS Codes | |
| RC | Read Classification | |
| SDM | SNOMED- DICOM Microglossary | |
| SNM | Systemized Nomenclature of Medicine (SNOMED) | |

| Value | Description | Notes |
|-------|----------------------------------------------------------------|-------|
| SNM3 | SNOMED International | |
| SNCT | Systemized Nomenclature of Medicine Clinical Terms (SNOMED-CT) | |
| SNT | SNOMED topology codes (anatomic sites) | |
| UC | UCDS | |
| UMD | MDNS | |
| UML | Unified Medical Language | |
| UPC | Universal Product Code | |
| UPIN | UPIN | |
| W1 | WHO record # drug codes (6 digit) | |
| W2 | WHO record # drug codes (8 digit) | |
| W4 | WHO record # code with ASTM extension | |
| WC | WHO ATC | |

99zzz is also used as local code where zzz is an alphanumeric characters.

HL7nnnn is used for HL7 Defined Codes where nnnn is the HL7 table number.

ISOnnnn is used for ISO defined codes where nnnn is the ISO table number.

4.66 HL7 Table 0398 - Continuation style code

Used within segment:

DSC - continuation pointer segment

Refer to HL7 Chapter:

2.16.4.2

| Value | Description | Notes |
|-------|--------------------------|-------|
| F | Fragmentation | |
| I | Interactive Continuation | |

4.67 HL7 Table 0399 - Country code

Used within segment and datatypes:

MSH – Message Header

Patient Address (XAD)

XAD – Extended Address

| Value | Description | Notes |
|-------|----------------------------------|-------|
| 1 | England | |
| 2 | Scotland | |
| 3 | Wales | |
| 4 | Northern Ireland | |
| 7 | Sark | |
| 9 | Alderney | |
| 10 | Channel Islands | |
| ABW | Aruba | |
| AFG | Afghanistan | |
| AGO | Angola | |
| AIA | Anguilla | |
| ALA | Åland Islands | |
| ALB | Albania | |
| AND | Andorra | |
| ARE | United Arab Emirates | |
| ARG | Argentina | |
| ARM | Armenia | |
| ASM | American Samoa | |
| ATA | Antarctica | |
| ATF | French Southern Territories | |
| ATG | Antigua and Barbuda | |
| AUS | Australia | |
| AUT | Austria | |
| AZE | Azerbaijan | |
| BDI | Burundi | |
| BEL | Belgium | |
| BEN | Benin | |
| BES | Bonaire, Sint Eustatius and Saba | |
| BFA | Burkina Faso | |
| BGD | Bangladesh | |
| BGR | Bulgaria | |
| BHR | Bahrain | |

| Value | Description | Notes |
|-------|---------------------------------------|-------|
| BHS | Bahamas | |
| BIH | Bosnia and Herzegovina | |
| BLM | Saint Barthélemy | |
| BLR | Belarus | |
| BLZ | Belize | |
| BMU | Bermuda | |
| BOL | Bolivia, Plurinational State of | |
| BRA | Brazil | |
| BRB | Barbados | |
| BRN | Brunei Darussalam | |
| BTN | Bhutan | |
| BVT | Bouvet Island | |
| BWA | Botswana | |
| CAF | Central African Republic | |
| CAN | Canada | |
| CCK | Cocos (Keeling) Islands | |
| CHE | Switzerland | |
| CHL | Chile | |
| CHN | China | |
| CIV | Côte d'Ivoire | |
| CMR | Cameroon | |
| COD | Congo, the Democratic Republic of the | |
| COG | Congo | |
| COK | Cook Islands | |
| COL | Colombia | |
| COM | Comoros | |
| CPV | Cape Verde | |
| CRI | Costa Rica | |
| CUB | Cuba | |
| CUW | Curaçao | |
| CXR | Christmas Island | |

| Value | Description | Notes |
|-------|---------------------------------|-------|
| CYM | Cayman Islands | |
| CYP | Cyprus | |
| CZE | Czech Republic | |
| DEU | Germany | |
| DJI | Djibouti | |
| DMA | Dominica | |
| DNK | Denmark | |
| DOM | Dominican Republic | |
| DZA | Algeria | |
| ECU | Ecuador | |
| EGY | Egypt | |
| ERI | Eritrea | |
| ESH | Western Sahara | |
| ESP | Spain | |
| EST | Estonia | |
| ETH | Ethiopia | |
| FIN | Finland | |
| FJI | Fiji | |
| FLK | Falkland Islands (Malvinas) | |
| FRA | France | |
| FRO | Faroe Islands | |
| FSM | Micronesia, Federated States of | |
| GAB | Gabon | |
| GBR | United Kingdom | |
| GEO | Georgia | |
| GGY | Guernsey | |
| GHA | Ghana | |
| GIB | Gibraltar | |
| GIN | Guinea | |
| GLP | Guadeloupe | |
| GMB | Gambia | |
| GNB | Guinea-Bissau | |

| Value | Description | Notes |
|-------|-----------------------------------|-------|
| GNQ | Equatorial Guinea | |
| GRC | Greece | |
| GRD | Grenada | |
| GRL | Greenland | |
| GTM | Guatemala | |
| GUF | French Guiana | |
| GUM | Guam | |
| GUY | Guyana | |
| HKG | Hong Kong | |
| HMD | Heard Island and McDonald Islands | |
| HND | Honduras | |
| HRV | Croatia | |
| HTI | Haiti | |
| HUN | Hungary | |
| IDN | Indonesia | |
| IMN | Isle of Man | |
| IND | India | |
| IOT | British Indian Ocean Territory | |
| IRL | Ireland | |
| IRN | Iran, Islamic Republic of | |
| IRQ | Iraq | |
| ISL | Iceland | |
| ISR | Israel | |
| ITA | Italy | |
| JAM | Jamaica | |
| JEY | Jersey | |
| JOR | Jordan | |
| JPN | Japan | |
| KAZ | Kazakhstan | |
| KEN | Kenya | |
| KGZ | Kyrgyzstan | |

| Value | Description | Notes |
|-------|--------------------------------------------|-------|
| KHM | Cambodia | |
| KIR | Kiribati | |
| KNA | Saint Kitts and Nevis | |
| KOR | Korea, Republic of | |
| KWT | Kuwait | |
| LAO | Lao People's Democratic Republic | |
| LBN | Lebanon | |
| LBR | Liberia | |
| LBY | Libya | |
| LCA | Saint Lucia | |
| LIE | Liechtenstein | |
| LKA | Sri Lanka | |
| LSO | Lesotho | |
| LTU | Lithuania | |
| LUX | Luxembourg | |
| LVA | Latvia | |
| MAC | Macao | |
| MAF | Saint Martin (French part) | |
| MAR | Morocco | |
| MCO | Monaco | |
| MDA | Moldova, Republic of | |
| MDG | Madagascar | |
| MDV | Maldives | |
| MEX | Mexico | |
| MHL | Marshall Islands | |
| MKD | Macedonia, the former Yugoslav Republic of | |
| MLI | Mali | |
| MLT | Malta | |
| MMR | Myanmar | |
| MNE | Montenegro | |
| MNG | Mongolia | |

| Value | Description | Notes |
|-------|----------------------------|-------|
| MNP | Northern Mariana Islands | |
| MOZ | Mozambique | |
| MRT | Mauritania | |
| MSR | Montserrat | |
| MTQ | Martinique | |
| MUS | Mauritius | |
| MWI | Malawi | |
| MYS | Malaysia | |
| MYT | Mayotte | |
| NAM | Namibia | |
| NCL | New Caledonia | |
| NER | Niger | |
| NFK | Norfolk Island | |
| NGA | Nigeria | |
| NIC | Nicaragua | |
| NIU | Niue | |
| NLD | Netherlands | |
| NOR | Norway | |
| NPL | Nepal | |
| NRU | Nauru | |
| NZL | New Zealand | |
| OMN | Oman | |
| PAK | Pakistan | |
| PAN | Panama | |
| PCN | Pitcairn | |
| PER | Peru | |
| PHL | Philippines | |
| PLW | Palau | |
| PNG | Papua New Guinea | |
| POL | Poland | |
| PRI | Puerto Rico | |
| PRK | Korea, Democratic People's | |

| Value | Description | Notes |
|-------|----------------------------------------------|-------|
| | Republic of | |
| PRT | Portugal | |
| PRY | Paraguay | |
| PSE | Palestinian Territory, Occupied | |
| PYF | French Polynesia | |
| QAT | Qatar | |
| REU | Réunion | |
| ROU | Romania | |
| RUS | Russian Federation | |
| RWA | Rwanda | |
| SAU | Saudi Arabia | |
| SDN | Sudan | |
| SEN | Senegal | |
| SGP | Singapore | |
| SGS | South Georgia and the South Sandwich Islands | |
| SHN | Saint Helena, Ascension and Tristan da Cunha | |
| SJM | Svalbard and Jan Mayen | |
| SLB | Solomon Islands | |
| SLE | Sierra Leone | |
| SLV | El Salvador | |
| SMR | San Marino | |
| SOM | Somalia | |
| SPM | Saint Pierre and Miquelon | |
| SRB | Serbia | |
| SSD | South Sudan | |
| STP | Sao Tome and Principe | |
| SUR | Suriname | |
| SVK | Slovakia | |
| SVN | Slovenia | |
| SWE | Sweden | |

| Value | Description | Notes |
|-------|--------------------------------------|-------|
| SWZ | Swaziland | |
| SXM | Sint Maarten (Dutch part) | |
| SYC | Seychelles | |
| SYR | Syrian Arab Republic | |
| TCA | Turks and Caicos Islands | |
| TCD | Chad | |
| TGO | Togo | |
| THA | Thailand | |
| TJK | Tajikistan | |
| TKL | Tokelau | |
| TKM | Turkmenistan | |
| TLS | Timor-Leste | |
| TON | Tonga | |
| TTO | Trinidad and Tobago | |
| TUN | Tunisia | |
| TUR | Turkey | |
| TUV | Tuvalu | |
| TWN | Taiwan, Province of China | |
| TZA | Tanzania, United Republic of | |
| UGA | Uganda | |
| UKR | Ukraine | |
| UMI | United States Minor Outlying Islands | |
| URY | Uruguay | |
| USA | United States | |
| UZB | Uzbekistan | |
| VAT | Holy See (Vatican City State) | |
| VCT | Saint Vincent and the Grenadines | |
| VEN | Venezuela, Bolivarian Republic of | |
| VGB | Virgin Islands, British | |
| VIR | Virgin Islands, U.S. | |
| VNM | Viet Nam | |

| Value | Description | Notes |
|-------|-------------------|-------|
| VUT | Vanuatu | |
| WLF | Wallis and Futuna | |
| WSM | Samoa | |
| YEM | Yemen | |
| ZAF | South Africa | |
| ZMB | Zambia | |
| ZWE | Zimbabwe | |

The values for HL7 table 0399 are sourced from the International Standard ISO 3166-1 Alpha 3 codes. These values do not currently contain UK National Codes such as England or Wales for example, which are present as seven additional values within the Person Demographic Service (PDS) data item Country. Users of this specification are expected to adopt the most updated country codes from Standard ISO 3166-1 Alpha 3 codes along with seven additional values which are listed in table above.

4.68 User Table 0416 - Procedure DRG type

Used within segment:

PR1 –Procedures

Refer to HL7 Chapter:

6.5.4.17

| Value | Description | Notes |
|-------|-------------------|-------|
| 1 | 1st non-Operative | |
| 2 | 2nd non-Operative | |
| 3 | Major Operative | |
| 4 | 2nd Operative | |
| 5 | 3rd Operative | |

4.69 User Table 0417 - Tissue type code

Used within segment:

PR1 –Procedures

Refer to HL7 Chapter:

6.5.4.18

| Value | Description | Notes |
|-------|---------------------|-------|
| 0 | No tissue expected | |
| 1 | Insufficient Tissue | |

| Value | Description | Notes |
|-------|----------------------------|-------|
| 2 | Not abnormal | |
| 3 | Abnormal-not categorized | |
| 4 | Mechanical abnormal | |
| 5 | Growth alteration | |
| 6 | Degeneration & necrosis | |
| 7 | Non-acute inflammation | |
| 8 | Non-malignant neoplasm | |
| 9 | Malignant neoplasm | |
| B | Basal cell carcinoma | |
| C | Carcinoma-unspecified type | |
| G | Additional tissue required | |

4.70 HL7 Table 0418 - Procedure priority

Used within segment:

PR1 –Procedures

Refer to HL7 Chapter:

6.5.4.14

| Value | Description | Notes |
|-------|---------------------------------|-------|
| 0 | the admitting procedure | |
| 1 | the primary procedure | |
| 2 | for ranked secondary procedures | |

4.71 User Table 0430 - Mode of arrival code

Used within segment:

PV2 – Additional Patient Visit (HL7 ref 3.4.4)

Refer to HL7 Chapter:

3.4.4.38

| Value | Description | Notes |
|-------|-------------|-------|
| A | Ambulance | |
| C | Car | |
| F | On foot | |
| H | Helicopter | |

| Value | Description | Notes |
|-------|------------------|-------|
| O | Other | |
| P | Public Transport | |
| U | Unknown | |

4.72 User Table 0445 - Identity Reliability Code

Used within segment:

PID – Patient Identification (HL7 ref 3.5.2)

Refer to HL7 Chapter:

3.5.2.32

| Value | Description | Notes |
|--------|----------------------------------------------------------------------|----------------------------------------------------------|
| US | Unknown/Default Social Security Number | |
| UD | Unknown/Default Date of Birth | |
| UA | Unknown/Default Address | |
| AL | Patient/Person Name is an Alias | |
| ED | Estimated Date of Birth | |
| NSTS01 | Number present and verified | NHS Number Tracing Status – ‘n’ is the actual code value |
| NSTS02 | Number present but not traced | NHS Number Tracing Status – ‘n’ is the actual code value |
| NSTS03 | Trace required | NHS Number Tracing Status – ‘n’ is the actual code value |
| NSTS04 | Trace attempted - No match or multiple match found | NHS Number Tracing Status – ‘n’ is the actual code value |
| NSTS05 | Trace needs to be resolved - (NHS Number or patient detail conflict) | NHS Number Tracing Status – ‘n’ is the actual code value |
| NSTS06 | Trace in progress | NHS Number Tracing Status – ‘n’ is the actual code value |
| NSTS07 | Number not present and trace not required | NHS Number Tracing Status – ‘n’ is the actual code value |
| NSTS08 | Trace postponed (baby under six weeks old) | NHS Number Tracing Status – ‘n’ is the actual code value |

The values above for the HL7 table 0445, are partly (those prefixed with NSTS) sourced from the NHS Data Model and Dictionary attribute NHS Number Status Indicator³⁰.

6th iteration is used for NHS Number tracing status and must be used where available in accordance with NHS Number guidance. Please see section 3.2.1 of the document entitled “NHS Number Standard for Secondary Care (England) Full Operational Information Standard” available at <http://www.isb.nhs.uk/docs/instantiations/secondary-care-1/SubOperational.pdf>.

A maximum of one NHS Number Tracing Status value shall be included in this repeating field.

4th iteration is used for date of birth reliability. New guidance has been submitted to ISB for review. When ratified this field must be used according to that guidance. The document currently has the title “Standard for estimating a patient’s age where their date of birth is not known and then flagging the derived estimated birth date.

4.73 HL7 Table 0465 - Name/address representation

Used within datatypes:

Patient Address (XAD)

XAD – Extended Address

| Value | Description | Notes |
|-------|--------------------------------------------------|-------|
| A | Alphabetic (i.e., Default or some single-byte) | |
| I | Ideographic (i.e., Kanji) | |
| P | Phonetic (i.e., ASCII, Katakana, Hiragana, etc.) | |

4.74 User Table 0471 - Message Query name

Used within datatypes:

QAK- query acknowledgment segment

Refer to HL7 Chapter:

| Value | Description | Notes |
|-------|--------------------------------------|-------|
| Q21 | Get person demographics | |
| Q22 | Find Candidates Query | |
| ZV1 | Patient Demographics and Visit Query | |

³⁰ http://www.datadictionary.nhs.uk/data_dictionary/data_field_notes/n/nhs_number_status_indicator_de.asp?

4.75 User Table ZU001 - Admit Reason

Used within segment:

PV2 - Additional Patient Visit (HL7 ref 3.4.4)

Refer to HL7 Chapter:

3.4.4.3

There are currently no suggested values for this release. Until nationally agreed values are provided, local values should be used.

4.76 User Table ZU002 - Allergy Code/Description

Used within segment:

AL1 - Additional Patient Visit (HL7 ref 3.5.6)

Refer to HL7 Chapter:

3.5.6.3

| Value | Description | Notes |
|-------|-----------------------------------------------------------------------------------|-------|
| Z88.0 | Personal history of allergy to drugs, medicaments and biological substances | |
| Z88.1 | Personal history of allergy to penicillin | |
| Z88.2 | Personal history of allergy to other antibiotic agents | |
| Z88.3 | Personal history of allergy to sulfonamides | |
| Z88.4 | Personal history of allergy to other anti-infective agents | |
| Z88.5 | Personal history of allergy to anaesthetic agent | |
| Z88.6 | Personal history of allergy to narcotic agent | |
| Z88.7 | Personal history of allergy to analgesic agent | |
| Z88.8 | Personal history of allergy to serum and vaccine | |
| Z88.9 | Personal history of allergy to other drugs, medicaments and biological substances | |

| Value | Description | Notes |
|-------|----------------------------------------------------------------------------|-------|
| Z91.0 | Personal history of allergy, other than to drugs and biological substances | |

This table should contain and support valid NHS Allergy codes and descriptions³¹. The current NHS coding standard supported for Allergies are codes within Z80 from the International Classification of Diseases standard, ICD-10³².

If mapping from Systematised Nomenclature of Medicine Clinical Terms (SNOMED-CT)³³, please ensure that the concepts used are cross mapped to the ICD-10 codes above. The cross mapping can be found by accessing the TRUD³⁴ service or by using the table below (based on current full defined concepts only found in SNOMED version 2009b):

| ICD-10 Code | ICD-10 Description | SNOMED description: | SNOMED concept ID: |
|-------------|--------------------------------------------------------|------------------------------|--------------------|
| Z88.0 | Personal history of allergy to penicillin | H/O: penicillin allergy | 161591004 |
| Z88.1 | Personal history of allergy to other antibiotic agents | H/O: cephalosporin allergy | 161597000 |
| | | H/O: chloramphenicol allergy | 161602007 |
| | | H/O: erythromycin allergy | 161600004 |
| | | H/O: gentamicin allergy | 161599002 |
| | | H/O: metronidazole allergy | 161606005 |
| | | H/O: nalidixic acid allergy | 161607001 |
| | | H/O: neomycin allergy | 161601000 |
| | | H/O: nitrofurantoin allergy | 161608006 |
| | | H/O: tetracycline allergy | 161598005 |
| Z88.2 | Personal history of allergy to sulfonamides | H/O: sulphonamide allergy | 161603002 |

³¹ http://www.datadictionary.nhs.uk/data_dictionary/attributes/c/cla/clinical_classification_code_de.asp?

³²

[http://www.datadictionary.nhs.uk/web_site_content/supporting_information/clinical_coding/international_classification_of_diseases_\(icd-10\).asp?](http://www.datadictionary.nhs.uk/web_site_content/supporting_information/clinical_coding/international_classification_of_diseases_(icd-10).asp?)

³³ <http://systems.hscic.gov.uk/data/uktc/snomed>

³⁴ <https://isd.hscic.gov.uk/trud3/>

| | | | |
|-------|-----------------------------------------------------------------------------------------|--------------------------------------|-----------|
| | | H/O: trimethoprim allergy | 161604008 |
| Z88.3 | Personal history of allergy to other anti-infective agents | | |
| Z88.4 | Personal history of allergy to anaesthetic agent | H/O: anesthetic allergy | 161593001 |
| | | History of allergy to opiate agonist | 428980005 |
| | | History of - anaesthesia problem | 397942001 |
| Z88.5 | Personal history of allergy to narcotic agent | | |
| Z88.6 | Personal history of allergy to analgesic agent | H/O: analgesic allergy | 161594007 |
| Z88.7 | Personal history of allergy to serum and vaccine | H/O: serum allergy | 161596009 |
| | | H/O: vaccine allergy | 161595008 |
| Z88.8 | Personal history of allergy to other drugs, medicaments and biological substances | | |
| Z88.9 | Personal history of allergy to unspecified drugs, medicaments and biological substances | H/O: drug allergy | 161590003 |
| Z91.0 | Personal history of allergy, other than to drugs and biological substances | H/O: plant allergy | 161613005 |
| | | H/O: food allergy | 161612000 |
| | | H/O: non-drug allergy | 161611007 |

Further guidance for representing allergies can be found here: [SCG Guidance on the Representation of Allergies and Adverse Reaction Information Using NHS Message Templates](#).

4.77 User Table ZU003 - Anaesthetic Given During Labour/Delivery

Used within segment:

ZU6 - UK Additional Data - Labour & Delivery (HL7 ref A.4.3.6)

Refer to HL7 Chapter:

A.4.3.4.12

| Value | Description | Notes |
|-------|-----------------------------------------------------------------------------------------------------|-------|
| 1 | General anaesthetic, the administration by a doctor of an agent intended to produce unconsciousness | |
| 2 | Epidural or caudal anaesthetic, the injection of a local anaesthetic agent into the epidural space | |
| 3 | Spinal anaesthetic, the injection of a local anaesthetic agent into the subarachnoid space | |
| 4 | General anaesthetic and epidural or caudal anaesthetic | |
| 5 | General anaesthetic and spinal anaesthetic | |
| 6 | Epidural or caudal and spinal anaesthetic | |
| 7 | Anaesthetic other than in 1 to 6, or analgesic only | |
| 8 | No analgesic or anaesthetic administered | |

The values above, are sourced from the NHS Data Model and Dictionary attribute Anaesthetic Or Analgesic Category³⁵.

4.78 User Table ZU004 - Anaesthetic Given Post Labour/Delivery

Used within segment:

ZU6 - UK Additional Data - Labour & Delivery (HL7 ref A.4.3.6)

Refer to HL7 Chapter:

A.4.3.4.13

| Value | Description | Notes |
|-------|-------------|-------|
|-------|-------------|-------|

35

http://www.datadictionary.nhs.uk/data_dictionary/attributes/a/ana/anaesthetic_or_analgesic_category_de.asp?

| Value | Description | Notes |
|-------|-----------------------------------------------------------------------------------------------------|-------|
| 1 | General anaesthetic, the administration by a doctor of an agent intended to produce unconsciousness | |
| 2 | Epidural or caudal anaesthetic, the injection of a local anaesthetic agent into the epidural space | |
| 3 | Spinal anaesthetic, the injection of a local anaesthetic agent into the subarachnoid space | |
| 4 | General anaesthetic and epidural or caudal anaesthetic | |
| 5 | General anaesthetic and spinal anaesthetic | |
| 6 | Epidural or caudal and spinal anaesthetic | |
| 7 | Anaesthetic other than in 1 to 6, or analgesic only | |

The values above are sourced from the NHS Data Model and Dictionary attribute Anaesthetic Or Analgesic Category³⁶.

4.79 User Table ZU005 - Assigning Facility

Used within datatype:

CX - Extended Composite ID with Check Digit

This table should contain and support valid 5 characters ODS NHS Organisation Site Codes to indicate the unique identifier of the healthcare site the patient has been discharged to. Valid NHS Organisation site codes³⁷ can be found on the ODS downloads site.

4.80 User Table ZU006 – Attendance Class

Used within segment:

ZU3 - UK Additional Data - Attendance Details (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.3.6

There are currently no suggested values for this release. Until nationally agreed values are provided, local values should be used.

³⁶

http://www.datadictionary.nhs.uk/data_dictionary/attributes/a/ana/anaesthetic_or_analgesic_category_de.asp?

³⁷ <http://systems.hscic.gov.uk/data/ods>

4.81 User Table ZU007 - Attended or DNA

Used within segment:

ZU3 - UK Additional Data - Attendance Details (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.3.3

| Value | Description | Notes |
|-------|-------------------------------------------------------------------------------------------------------------|-------|
| 5 | Patient arrived on time or, if late, before the relevant health care professional was ready to see them | |
| 6 | Patient arrived late, after the relevant health care professional was first ready to see them, but was seen | |
| 7 | Patient arrived late and could not be seen | |
| 2 | Appointment cancelled by patient | |
| 3 | Did not attend - no advance warning given | |
| 4 | Appointment cancelled or postponed by the Health Care Provider | |

4.82 User Table ZU008 - Borrowed Bed Specialty

Used within segment:

ZU1 - UK Additional Data (HL7 ref A.4.3.1)

Refer to HL7 Chapter:

A.4.3.1.25

This table should contain and support valid NHS Treatment Function Codes³⁸.

4.83 User Table ZU009 - Cancelled By

Used within segment:

³⁸

http://www.datadictionary.nhs.uk/web_site_content/supporting_information/main_specialty_and_treatment_function_codes.asp?

ZU3 - UK Additional Data - Attendance Details (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.3.13

There are currently no suggested values for this release. Until nationally agreed values are provided, local values should be used.

4.84 User Table ZU010 – Coding Status

Used within segment:

ZU1 – UK Additional Data (HL7 ref A.4.3.1)

Refer to HL7 Chapter:

A.4.3.1.3

| Value | Description | Notes |
|-------|-------------|-------|
| I | Incomplete | |
| C | Complete | |

4.85 User Table ZU011 - Consent to Share Indicator

Used within datatype:

PID - Patient Identification (HL7 ref 3.5.2)

| Value | Description | Notes |
|-------|------------------------|-------|
| 1 | Express consent | |
| 2 | Express dissent | |
| 3 | Consent Status Unknown | |

Any information which flows across an organisational boundary **MUST** be agreed with the patient before transmission. This field is used to transmit a code indicating that the patient has agreed to share information.

4.86 User Table ZU012 - Consultant's main specialty

Used within segment:

ZU1 - UK Additional Data (HL7 ref A.4.3.1)

Refer to HL7 Chapter:

A.4.3.1.6

This table should contain and support valid NHS Main Specialty Codes³⁹.

³⁹

http://www.datadictionary.nhs.uk/web_site_content/supporting_information/main_specialty_and_treatment_function_codes.asp?

4.87 User Table ZU013 - Diary Type

Used within segment:

ZU3 - UK Additional Data - Attendance Details (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.3.7

There are currently no suggested values for this release. Until nationally agreed values are provided, local values should be used.

4.88 User Table ZU014 - First Regular Day or Night Admission

Used within segment:

ZU1 – UK Additional Data (HL7 ref A.4.3.1)

Refer to HL7 Chapter:

A.4.3.1.19

| Value | Description | Notes |
|-------|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0 | First in a series | |
| 1 | Subsequent to first in a series | |
| 8 | Not applicable | This episode of care is neither the first nor any subsequent attendance within a sequence of regular day/night admissions. |
| 9 | Not known | This episode is an attendance with a sequence of regular day/night admissions, but the status of this episode within the attendance is not known: a validation error |

The values above are sourced from the NHS Data Model and Dictionary attribute First Regular Day Or Night Admission⁴⁰.

4.89 User Table ZU015 - Hospital Service - specialty

Used within segment:

PV1 - Patient Visit (HL7 ref 3.4.3)

Refer to HL7 Chapter:

3.4.3.10

This table should contain and support valid NHS Main Specialty Codes⁴¹.

⁴⁰ http://www.datadictionary.nhs.uk/data_dictionary/attributes/f/first_regular_day_or_night_admission_de.asp?

4.90 User Table ZU016 - Initiator of suspension

Used within segment:

ZU4 - UK Additional Data - Waiting List (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.4.12

| Value | Description | Notes |
|-------|---------------------------------------------------------------------------------------------------------------------------|-------|
| a | Initiated by CONSULTANT for medical reasons including awaiting an organ transplant or an unrelated bone marrow transplant | |
| b | Initiated by PATIENT | |

The values above are sourced from the NHS Data Model and Dictionary attribute Elective Admission Suspension Initiator⁴².

4.91 User Table ZU017 - Intended Clinical Care Intensity

Used within segment:

ZU3 - UK Additional Data - Attendance Details (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.3.10

| Value | Description | Notes |
|-------|----------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 11 | for intensive therapy, including high dependency care | For general patients |
| 12 | for normal therapy: where resources permit the admission of patients who might need all but intensive or high dependency therapy | For general patients |

⁴¹

http://www.datadictionary.nhs.uk/web_site_content/supporting_information/main_specialty_and_treatment_function_codes.asp?

⁴²

http://www.datadictionary.nhs.uk/data_dictionary/attributes/e/elective_admission_suspension_initiator_de.asp?

| Value | Description | Notes |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
| 13 | for limited therapy: where nursing care rather than continuous medical care is provided. Such wards can be used only for patients carefully selected and restricted to a narrow range in terms of the extent and nature of disease | For general patients |
| 21 | spinal units, only those units which are nationally recognised | For the younger physically disabled |
| 22 | other units | For the younger physically disabled |
| 31 | not associated with the maternity ward and in which there are some designated cots for intensive care | For neonates |
| 32 | non-maternity: not associated with the maternity ward and without designated cots for intensive care | For neonates |
| 33 | maternity: associated with the maternity ward in that cots are in the maternity ward nursery or in the ward itself | For neonates |
| 41 | only for patients looked after by consultants | For maternity patients |
| 42 | for joint use by consultants & General Medical Practitioners | For maternity patients |
| 43 | only for patients looked after by General Medical Practitioners | For maternity patients |
| 51 | for intensive care: specially designated ward for patients needing containment and more intensive management. This is not to be confused with intensive nursing where a patients may require one to one nursing while on a standard ward | For patients with mental illness |
| 52 | for short stay: patients intended to stay less than a year | For patients with mental illness |
| 53 | for long stay: patients intended to stay a year or more | For patients with mental illness |
| 61 | designated or interim secure unit | For patients with learning disabilities |
| 62 | patients intending to stay less than a year | For patients with learning disabilities |

| Value | Description | Notes |
|-------|-------------------------------------------|--------------------------------------------------|
| 63 | patients intending to stay a year or more | For patients with learning disabilities |
| 71 | Home Leave, non-psychiatric | Additional value for Intended Clinical Intensity |
| 72 | Home Leave, psychiatric | Additional value for Intended Clinical Intensity |
| 81 | terminally ill/palliative care | For terminally ill/palliative care |

The values above are sourced from the NHS Data Model and Dictionary attribute Clinical Care Intensity⁴³ including the additional 'intended' values from the data element Intended Clinical Care Intensity⁴⁴.

4.92 User Table ZU018 - Labour/Delivery Onset Method

Used within segment:

ZU6 - UK Additional Data - Labour & Delivery (HL7 ref A.4.3.6)

Refer to HL7 Chapter:

A.4.3.4.9

| Value | Description | Notes |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| 1 | Spontaneous; the onset of regular contractions whether or not preceded by spontaneous rupture of the membranes | |
| 2 | Any caesarean section carried out before the onset of labour or a planned elective caesarean section carried out immediately following the onset of labour, when the decision was made before labour | |
| 3 | Surgical induction; by amniotomy | |
| 4 | Medical induction; including administration of agents either orally, intravenously or intravaginally with the intention of initiating labour | |
| 5 | Combination of surgical induction and medical induction | |
| 9 | Not known | To be used when data enterer has tried to get information but it is not |

⁴³ http://www.datadictionary.nhs.uk/data_dictionary/attributes/c/cla/clinical_care_intensity_de.asp?

⁴⁴ http://www.datadictionary.nhs.uk/data_dictionary/data_field_notes/i/intended_clinical_care_intensity_de.asp?

| Value | Description | Notes |
|-------|-------------|-----------------------|
| | | known for any reason. |

The values above are sourced from the NHS Data Model and Dictionary attribute Labour/Delivery Onset Method⁴⁵.

4.93 User Table ZU019 - Medical staff type seeing patient

Used within segment:

ZU3 – UK Additional Data – Attendance Details (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.3.2

| Value | Description | Notes |
|-------|--------------------------------------|-------|
| 1 | Consultant | |
| 2 | Consultant firm | |
| 3 | Not applicable (e.g. ward attenders) | |
| 4 | Not known | |

4.94 User Table ZU020 - Neonatal level of care

Used within segment:

ZU1 - UK Additional Data (HL7 ref A.4.3.1)

Refer to HL7 Chapter:

A.4.3.1.9

| Value | Description | Notes |
|-------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0 | Normal Care | Care given by the mother or mother substitute with medical and neonatal nursing advice if needed. |
| 1 | Special Care | Care given in a special care nursery, transitional care ward or postnatal ward which provides care and treatment exceeding normal routine care. Some aspects of special care can be undertaken by a mother supervised by qualified nursing staff. Special nursing care includes support and education of the infant's parent(s). |

⁴⁵ http://www.datadictionary.nhs.uk/data_dictionary/attributes/l/labour_or_delivery_onset_method_de.asp?

| Value | Description | Notes |
|-------|---------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2 | Level 2 Intensive Care (High Dependency Intensive Care) | Care given in an intensive or special care nursery which provides continuous skilled supervision by qualified and specially trained nursing staff who may care for more babies than in Level 1 Intensive Care. Medical supervision is not so immediate as in Level 1 Intensive Care. Care includes support of the infant's parent(s). |
| 3 | Level 1 Intensive Care (Maximal Intensive Care) | Care given in an intensive care nursery which provides continuous skilled supervision by qualified and specially trained nursing and medical staff. Such care includes support of the infant's parent(s). |
| 8 | Not applicable | A still birth or the episode of care does not involve a neonate during all, or part, of the duration of the episode. |
| 9 | Not known | The episode of care involves a neonate and is finished but no data has been entered, or the episode involves a neonate and is unfinished therefore no data needs to be present. |

The values above are sourced from the NHS Data Model and Dictionary attribute Neonatal Level of Care⁴⁶.

4.95 User Table ZU021 - Observation Method

Used within segment:

OBX - Observation / Result Segment

Refer to HL7 Chapter:

7.4.2.17

This table should be populated with local coded values and descriptions used to indicate the Observation Method being used.

⁴⁶ http://www.datadictionary.nhs.uk/data_dictionary/attributes/n/neonatal_level_of_care_de.asp?

4.96 User Table ZU022 - Outcome of Attendance

Used within segment:

ZU3 - UK Additional Data - Attendance Details (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.3.4

| Value | Description | Notes |
|-------|-----------------------------------------------------|-------|
| 1 | Discharged from consultant's care (last attendance) | |
| 2 | Another appointment given | |
| 3 | Appointment to be made at a later date | |

The values above are sourced from the NHS Data Model and Dictionary attribute Outcome of Attendance⁴⁷.

4.97 User Table ZU023- Outcome of offer of admission

Used within segment:

ZU4 - UK Additional Data - Waiting List (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.4.11

| Value | Description | Notes |
|-------|------------------------------------------------------------------|-------|
| 8 | Patient admitted - treatment commenced | |
| 1 | Patient admitted - treatment completed | |
| 2 | Admission cancelled by, or on behalf of, the patient | |
| 6 | Admission cancelled by hospital before day offered for admission | |
| 7 | Admission cancelled by hospital on day offered for admission | |
| 4 | Patient failed to arrive | |
| 5 | Patient admitted - treatment deferred | |

⁴⁷ http://www.datadictionary.nhs.uk/data_dictionary/attributes/o/out/outcome_of_attendance_de.asp?

The values above are sourced from the NHS Data Model and Dictionary attribute Admission Offer Outcome⁴⁸.

4.98 User Table ZU024- Patient Age Sex Mix

Used within segment:

ZU3 - UK Additional Data - Attendance Details (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.3.9

| Value | Description | Notes |
|-------|------------------------------------------|-------|
| 1a | Neonates - Males | |
| 2a | Children and/or adolescents - Males | |
| 3a | Elderly - Males | |
| 8a | Any age - Males | |
| 1b | Neonates - Females | |
| 2b | Children and/or adolescents - Females | |
| 3b | Elderly - Females | |
| 8b | Any age - Females | |
| 1c | Neonates - Either sex | |
| 2c | Children and/or adolescents - Either sex | |
| 3c | Elderly - Either sex | |
| 8c | Any age - Either sex | |

The values above are sourced from the NHS Data Model and Dictionary attributes Age Group Intended⁴⁹ and Sex of Patients⁵⁰.

This item is derived from Age Group Intended and Sex of Patients and relates to intended use of a ward.

4.99 User Table ZU025 - Producer's ID

Used within segment:

⁴⁸ http://www.datadictionary.nhs.uk/data_dictionary/attributes/a/add/admission_offer_outcome_de.asp?

⁴⁹ http://www.datadictionary.nhs.uk/data_dictionary/attributes/a/age/age_group_intended_de.asp?

⁵⁰ http://www.datadictionary.nhs.uk/data_dictionary/attributes/s/ses/sex_of_patients_de.asp?

OBX - Observation / Result Segment

Refer to HL7 Chapter:

7.4.2.15

There are currently no suggested values for this release. Until nationally agreed values are provided, local values should be used.

4.100 User Table ZU026 - Psychiatric Admission Status

Used within segment:

ZU1 - UK Additional Data (HL7 ref A.4.3.1)

Refer to HL7 Chapter:

A.4.3.1.20

| Value | Description | Notes |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 0 | No known previous Hospital Provider Spells with a Consultant Episode (Hospital Provider) within a psychiatric speciality within any Health Care Provider. | |
| 1 | One or more previous Hospital Provider Spells involving a Consultant Episode (Hospital Provider) within a psychiatric specialty with this Health Care Provider. | |
| 2 | One or more previous Hospital Provider Spells involving a Consultant Episode (Hospital Provider) within a psychiatric specialty with another Health Care Provider, but none with this Health Care Provider. | |
| 8 | Not applicable: the patient is not receiving admitted patient care under a consultant in a psychiatric specialty. | |
| 9 | Not known: the patient is receiving admitted patient care under a consultant in a psychiatric specialty, but the information is not available. This constitutes a validation error | |

The values above are sourced from the NHS Data Model and Dictionary attribute Psychiatric Patient Status⁵¹.

This data item applies only to PATIENTS admitted or transferred to a CONSULTANT in one of the psychiatric specialties within a Hospital Provider Spell.

4.101 User Table ZU027 - Reason for exceeding Guarantee Date

Used within segment:

ZU4 - UK Additional Data - Waiting List (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.4.14

There are currently no suggested values for this release. Until nationally agreed values are provided, local values should be used.

4.102 User Table ZU028 - Referral Receipt Method

Used within segment:

ZU1 - UK Additional Data (HL7 ref A.4.3.1)

Refer to HL7 Chapter:

A.4.3.1.17

| Value | Description | Notes |
|-------|-------------|-------|
| 01 | Verbal | |
| 02 | Written | |

The values above are sourced from the NHS Data Model and Dictionary attribute Appointment Offer Verbal or Written⁵².

4.103 User Table ZU029 - Removal/Reinstate reason

Used within segment:

ZU4 - UK Additional Data - Waiting List (HL7 ref A.4.3.3)

| Value | Description | Notes |
|-------|---------------------------------------------------------|-------|
| 1 | Patient admitted electively | |
| 2 | Patient admitted as an emergency for the same condition | |

⁵¹ http://www.datadictionary.nhs.uk/data_dictionary/data_field_notes/p/pro/psychiatric_patient_status_de.asp?

⁵²

http://www.datadictionary.nhs.uk/data_dictionary/attributes/a/ana/appointment_offer_verbal_or_written_de.asp?

| | | |
|---|-----------------------------------|--|
| 3 | Patient died | |
| 4 | Patient removed for other reasons | |

The values above are sourced from the NHS Data Model and Dictionary attribute Elective Admission List Removal Reason⁵³.

4.104 User Table ZU030 - Responsible HCP provider

Used within segment:

ZU4 - UK Additional Data - Waiting List (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.4.7

This table should contain and support valid 3 character ODS NHS Organisation Codes or valid 6 character GP Practice Codes to indicate the unique identifier of the healthcare provider that the Responsible health care professional (HCP) belongs to or represents. Valid NHS Organisation codes and GP Practice codes⁵⁴ can be found on the ODS downloads site.

(For example 'RXX' NHS Trust, '5XX' PCT Provider, 'A86001' GP Practice).

4.105 User Table ZU031 - Service Type Requested

Used within segment:

ZU1 – UK Additional Data (HL7 ref A.4.3.1)

Refer to HL7 Chapter:

A.4.3.1.14

| Value | Description | Notes |
|-------|---------------------|-------|
| 1 | Advice/consultation | |
| 2 | Specific procedure | |
| 3 | Other | |

The values above are sourced from the NHS Data Model and Dictionary attribute Service Type Requested⁵⁵.

⁵³

http://www.datadictionary.nhs.uk/data_dictionary/attributes/e/elective_admission_list_removal_reason_de.asp?

⁵⁴ <http://systems.hscic.gov.uk/data/ods>

⁵⁵ http://www.datadictionary.nhs.uk/data_dictionary/attributes/s/ser/service_type_requested_de.asp

4.106 User Table ZU032 – Sexual Orientation

Used within segment:

ZU8 – UK Additional Data (HL7 ref A.4.3.8)

| Value | Description | Notes |
|-------|---------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Heterosexual | |
| 2 | Homosexual (Not Specified) | Where a system is not specific about the type of homosexuality , '2' Homosexual (Not Specified) value MUST be mapped to, instead of both or either the values 2a – 'Gay Man' or 2b - 'Lesbian/Gay Woman' |
| 2a | Gay Man | |
| 2b | Lesbian / Gay Woman | |
| 3 | Bisexual | |
| 4 | Not Certain | |
| U | Unknown | |
| X | Other | |
| Z | Not Stated (PERSON asked but declined to respond) | |

Guidance for how to collect sexual orientation information can be found on the Office of National Statistics website.⁵⁶

4.107 User Table ZU033 - Source if addition

Used within segment:

ZU4 - UK Additional Data - Waiting List (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.4.8

There are currently no suggested values for this release. Until nationally agreed values are provided, local values should be used.

4.108 User Table ZU034 - Source of Attendance

Used within segment:

ZU3 - UK Additional Data - Attendance Details (HL7 ref A.4.3.3)

⁵⁶ <http://www.ons.gov.uk/about-statistics/measuring-equality/sexual-identity-project/guidance/index.html>

Refer to HL7 Chapter:

A.4.3.3.14

There are currently no suggested values for this release. Until nationally agreed values are provided, local values should be used.

4.109 User Table ZU035 - Source of Referral**Used within segment:**

ZU1 - UK Additional Data (HL7 ref A.4.3.1)

Refer to HL7 Chapter:

A.4.3.1.13

There are currently no suggested values for this release. Until nationally agreed values are provided, local values should be used.

4.110 User Table ZU036 - Transfer Reason**Used within segment:**

PV2 - Additional Patient Visit (HL7 ref 3.4.4)

Refer to HL7 Chapter:

3.4.4.4

There are currently no suggested values for this release. Until nationally agreed values are provided, local values should be used.

4.111 User Table ZU037 - Transport Requirements**Used within segment:**

ZU3 - UK Additional Data - Attendance Details (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.3.5

| Value | Description | Notes |
|-------|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| a | Stretcher (synonym 'ambulance'). | The PATIENT is recumbent, semi-recumbent, a maternity case or is likely to need intensive ambulance aid during the journey. |
| b | Crew of 2 (synonym 'car 2'). | The PATIENT can travel sitting but needs the assistance of a driver and attendant to get into or out of the vehicle. |
| c | Crew of 1 (synonym 'car'). | The PATIENT can travel sitting and only needs the assistance of a driver to get into or out of the vehicle. |

The values above are sourced from the NHS Data Model and Dictionary attribute Transport Need⁵⁷.

4.112 User Table ZU038 - Units

Used within segment:

OBX - Observation / Result Segment

Refer to HL7 Chapter:

7.4.2.6

This table should contain and support valid units from the Unified Code for Units of Measure (UCUM)⁵⁸

4.113 User Table ZU039– Location Shielding

Used within segment:

ZU1 - UK Additional Data (HL7 ref A.4.3.1)

| Value | Description | Notes |
|-------|--------------|-------|
| N | No Shielding | |
| Y | Shielding | |

4.114 User Table ZU040–Actual Delivery Place

Used within segment:

ZU6 – UK Additional Data – Labour & Delivery (HL7 ref A.4.3.6)

Refer to HL7 Chapter:

A.4.3.6.4

| Value | Description | Notes |
|-------|-----------------------------------------------------------------------------------------|-------|
| 1 | At a domestic ADDRESS | |
| 2 | In NHS hospital - delivery facilities associated with CONSULTANT ward | |
| 3 | In NHS hospital - delivery facilities associated with GENERAL MEDICAL PRACTITIONER ward | |
| 0 | In NHS hospital - delivery facilities associated with MIDWIFE ward | |

⁵⁷ http://www.datadictionary.nhs.uk/data_dictionary/attributes/t/tran/transport_need_de.asp?

⁵⁸ <http://www.regenstrief.org/medinformatics/ucum>

| Value | Description | Notes |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 4 | In NHS hospital - delivery facilities associated with CONSULTANT/ GENERAL MEDICAL PRACTITIONER/ MIDWIFE ward inclusive of any combination of two of the professionals mentioned | |
| 7 | In NHS hospital - ward or unit without delivery facilities | |
| 5 | In private hospital | |
| 6 | In other hospital or institution | |
| 8 | None of the above | |
| 9 | Not known | |

The values above are sourced from the NHS Data Model and Dictionary attribute Actual Delivery Place⁵⁹.

4.115 User Table ZU041– Intended Delivery Place

Used within segment:

ZU6 – UK Additional Data – Labour & Delivery (HL7 ref A.4.3.6)

Refer to HL7 Chapter:

A.4.3.6.6

| Value | Description | Notes |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 1 | At a domestic ADDRESS | |
| 2 | In NHS hospital - delivery facilities associated with CONSULTANT ward | |
| 3 | In NHS hospital - delivery facilities associated with GENERAL MEDICAL PRACTITIONER ward | |
| 0 | In NHS hospital - delivery facilities associated with midwife ward | |
| 4 | In NHS hospital - delivery facilities associated with CONSULTANT/ GENERAL MEDICAL PRACTITIONER/ MIDWIFE ward inclusive of any combination of two | |

⁵⁹ http://www.datadictionary.nhs.uk/data_dictionary/attributes/a/acc/actual_delivery_place_de.asp?

| Value | Description | Notes |
|-------|------------------------------------------------------------|-------|
| | of the professionals mentioned | |
| 7 | In NHS hospital - ward or unit without delivery facilities | |
| 5 | In private hospital | |
| 6 | In other hospital or institution | |
| 8 | None of the above | |
| 9 | Not known | |

The values above are sourced from the NHS Data Model and Dictionary attribute Intended Delivery Place⁶⁰.

4.116 User Table ZU042– Delivery Place Change Reason

Used within segment:

ZU6 – UK Additional Data – Labour & Delivery (HL7 ref A.4.3.6)

Refer to HL7 Chapter:

A.4.3.6.7

| Value | Description | Notes |
|-------|-------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| 1 | Decision made during pregnancy because of change of address | |
| 2 | Decision made during pregnancy for clinical reasons | |
| 3 | Decision made during pregnancy for other reasons | |
| 4 | Decision made during labour for clinical reasons | |
| 5 | Decision made during labour for other reasons | |
| 6 | Occurred unintentionally during labour | |
| 8 | Not applicable | i.e. no change |
| 9 | Not known | To be used when data enterer has tried to get information but it is not known for any reason. |

The values above are sourced from the NHS Data Model and Dictionary attribute Delivery Place Change Reason⁶¹.

⁶⁰ http://www.datadictionary.nhs.uk/data_dictionary/attributes/i/int/intended_delivery_place_de.asp

4.117 User Table ZU043– Delivery Method

Used within segment:

ZU6 – UK Additional Data – Labour & Delivery (HL7 ref A.4.3.6)

Refer to HL7 Chapter:

A.4.3.4.10

| Value | Description | Notes |
|-------|-----------------------------|-------|
| 0 | Spontaneous vertex | |
| 1 | Spontaneous other cephalic | |
| 2 | Low forceps, not breech | |
| 3 | Other forceps, not breech | |
| 4 | Ventouse, vacuum extraction | |
| 5 | Breech | |
| 6 | Breech extraction | |
| 7 | Elective caesarean section | |
| 8 | Emergency caesarean section | |
| 9 | Other | |

The values above are sourced from the NHS Data Model and Dictionary attribute Delivery Method⁶².

4.118 User Table ZU044– Status Of Person Conducting Delivery

Used within segment:

ZU6 – UK Additional Data – Labour & Delivery (HL7 ref A.4.3.6)

Refer to HL7 Chapter:

A.4.3.4.11

| Value | Description | Notes |
|-------|------------------------------|-------|
| 1 | Hospital Doctor | |
| 2 | GENERAL MEDICAL PRACTITIONER | |
| 3 | MIDWIFE | |
| 8 | Other | |

⁶¹ http://www.datadictionary.nhs.uk/data_dictionary/attributes/d/dec/delivery_place_change_reason_de.asp?

⁶² http://www.datadictionary.nhs.uk/data_dictionary/attributes/d/dec/delivery_method_de.asp?

| Value | Description | Notes |
|-------|-------------|-----------------------------------------------------------------------------------------------|
| 9 | Not known | To be used when data enterer has tried to get information but it is not known for any reason. |

The values above are sourced from the NHS Data Model and Dictionary attribute Status of Person Conducting Delivery⁶³.

4.119 User Table ZU045– Resuscitation Method

Used within segment:

ZU7 – UK Additional Data – Labour & Delivery (HL7 ref A.4.3.6)

Refer to HL7 Chapter:

A.4.3.6.5

| Value | Description | Notes |
|-------|------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| 1 | Positive pressure nil, drugs nil | |
| 2 | Positive pressure nil, drugs administered | |
| 3 | Positive pressure by mask, drugs nil | |
| 4 | Positive pressure by mask, drugs administered | |
| 5 | Positive pressure by endotracheal tube, drugs nil | |
| 6 | Positive pressure by endotracheal tube, drugs administered | |
| 8 | Not applicable | (e.g. stillborn, where no method of resuscitation was attempted) |
| 9 | Not known | To be used when data enterer has tried to get information but it is not known for any reason. |

The values above are sourced from the NHS Data Model and Dictionary attribute Resuscitation Method⁶⁴.

4.120 User Table ZU046– Live Or Still Birth Code

Used within segment:

63

http://www.datadictionary.nhs.uk/data_dictionary/attributes/s/stan/status_of_person_conducting_delivery_de.asp?

64 http://www.datadictionary.nhs.uk/data_dictionary/data_field_notes/r/resuscitation_method_de.asp?

ZU7 – UK Additional Data – Labour & Delivery (HL7 ref A.4.3.6)

Refer to HL7 Chapter:

A.4.3.6.2

| Value | Description | Notes |
|-------|---------------------------|-------|
| 1 | Live | |
| 2 | Still birth ante-partum | |
| 3 | Still birth intra-partum | |
| 4 | Still birth indeterminate | |

The values above are sourced from the NHS Data Model and Dictionary attribute Live or Still Birth Code⁶⁵.

4.121 User Table ZU047– Legal Status On Admission

Used within segment:

ZU5 – UK Additional Data – Psychiatric Census (HL7 ref A.4.3.5)

Refer to HL7 Chapter:

A.4.3.5.2

| Value | Description | Notes |
|-------|-----------------------------------------------------------------------------------|-------|
| 1 | Informal | |
| 2 | Formally detained under Mental Health Act Section 2 | |
| 3 | Formally detained under Mental Health Act Section 3 | |
| 4 | Formally detained under Mental Health Act Section 4 | |
| 5 | Formally detained under Mental Health Act Section 5(2) | |
| 6 | Formally detained under Mental Health Act Section 5(4) | |
| 7 | Formally detained under Mental Health Act Section 35 | |
| 8 | Formally detained under Mental Health Act Section 36 | |
| 9 | Formally detained under Mental Health Act Section 37 with section 41 restrictions | |

⁶⁵ http://www.datadictionary.nhs.uk/data_dictionary/attributes/l/len/live_or_still_birth_de.asp?

| Value | Description | Notes |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| 10 | Formally detained under Mental Health Act Section 37 | |
| 12 | Formally detained under Mental Health Act Section 38 | |
| 13 | Formally detained under Mental Health Act Section 44 | |
| 14 | Formally detained under Mental Health Act Section 46 | |
| 15 | Formally detained under Mental Health Act Section 47 with section 49 restrictions | |
| 16 | Formally detained under Mental Health Act Section 47 | |
| 17 | Formally detained under Mental Health Act Section 48 with section 49 restrictions | |
| 18 | Formally detained under Mental Health Act Section 48 | |
| 19 | Formally detained under Mental Health Act Section 135 | |
| 20 | Formally detained under Mental Health Act Section 136 | |
| 31 | Formally detained under Criminal Procedure (Insanity) Act 1964 as amended by the Criminal Procedures (Insanity and Unfitness to Plead) Act 1991 | |
| 32 | Formally detained under other acts | |
| 33 | Supervised Discharge (Mental Health (Patients in the Community) Act 1995) | |
| 34 | Formally detained under Mental Health Act Section 45A | |
| 35 | Subject to guardianship under Mental Health Act Section 7 | |
| 36 | Subject to guardianship under Mental Health Act Section 37 | |
| 98 | Not applicable | |
| 99 | Not known | To be used when data enterer has tried to get information but it is not |

| Value | Description | Notes |
|-------|-------------|-----------------------|
| | | known for any reason. |

The values above are sourced from the NHS Data Model and Dictionary data element Legal Status Classification (at census date)⁶⁶ which uses values from the attribute Legal Status Classification⁶⁷.

4.122 User Table ZU048– Legal Status At Census Date

Used within segment:

ZU5 – UK Additional Data – Psychiatric Census (HL7 ref A.4.3.5)

Refer to HL7 Chapter:

A.4.3.5.3

| Value | Description | Notes |
|-------|-----------------------------------------------------------------------------------|-------|
| 1 | Informal | |
| 2 | Formally detained under Mental Health Act Section 2 | |
| 3 | Formally detained under Mental Health Act Section 3 | |
| 4 | Formally detained under Mental Health Act Section 4 | |
| 5 | Formally detained under Mental Health Act Section 5(2) | |
| 6 | Formally detained under Mental Health Act Section 5(4) | |
| 7 | Formally detained under Mental Health Act Section 35 | |
| 8 | Formally detained under Mental Health Act Section 36 | |
| 9 | Formally detained under Mental Health Act Section 37 with section 41 restrictions | |
| 10 | Formally detained under Mental Health Act Section 37 | |

⁶⁶

[http://www.datadictionary.nhs.uk/data_dictionary/data_field_notes/ll/legal_status_classification_code_\(at_census_date\)_de.asp?](http://www.datadictionary.nhs.uk/data_dictionary/data_field_notes/ll/legal_status_classification_code_(at_census_date)_de.asp?)

⁶⁷ http://www.datadictionary.nhs.uk/data_dictionary/attributes/ll/legal_status_classification_code_de.asp?

| Value | Description | Notes |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| 12 | Formally detained under Mental Health Act Section 38 | |
| 13 | Formally detained under Mental Health Act Section 44 | |
| 14 | Formally detained under Mental Health Act Section 46 | |
| 15 | Formally detained under Mental Health Act Section 47 with section 49 restrictions | |
| 16 | Formally detained under Mental Health Act Section 47 | |
| 17 | Formally detained under Mental Health Act Section 48 with section 49 restrictions | |
| 18 | Formally detained under Mental Health Act Section 48 | |
| 19 | Formally detained under Mental Health Act Section 135 | |
| 20 | Formally detained under Mental Health Act Section 136 | |
| 31 | Formally detained under Criminal Procedure (Insanity) Act 1964 as amended by the Criminal Procedures (Insanity and Unfitness to Plead) Act 1991 | |
| 32 | Formally detained under other acts | |
| 33 | Supervised Discharge (Mental Health (Patients in the Community) Act 1995) | |
| 34 | Formally detained under Mental Health Act Section 45A | |
| 35 | Subject to guardianship under Mental Health Act Section 7 | |
| 36 | Subject to guardianship under Mental Health Act Section 37 | |
| 98 | Not applicable | |
| 99 | Not known | To be used when data enterer has tried to get information but it is not known for any reason. |

The values above are sourced from the NHS Data Model and Dictionary data element Legal Status Classification (at census date)⁶⁸ which uses values from the attribute Legal Status Classification⁶⁹.

4.123 User Table ZU049– Mental Category

Used within segment:

ZU5 – UK Additional Data – Psychiatric Census (HL7 ref A.4.3.5)

Refer to HL7 Chapter:

A.4.3.5.4

| Value | Description | Notes |
|-------|--------------------------|-----------------------------------------------------------------------------------------------|
| 1 | Mental illness | |
| 2 | Mental impairment | |
| 3 | Severe mental impairment | |
| 4 | Psychopathic disorder | |
| 5 | Not specified | |
| 98 | Not applicable | i.e. not detained |
| 99 | Not known | To be used when data enterer has tried to get information but it is not known for any reason. |

Note: PATIENTS detained under Section 2, 4, 5, 135 and 136 of the Mental Health Act 1983 do not have a specified form of mental disorder and, therefore, the 'not specified' classification should be used.

The values above are sourced from the NHS Data Model and Dictionary attribute Mental Category⁷⁰.

4.124 User Table ZU050– Identity Unknown Indicator

Used within segment:

PID – Patient Identification (HL7 ref 3.5.2)

Refer to HL7 Chapter:

3.5.2.31

| Value | Description | Notes |
|-------|-------------|-------|
|-------|-------------|-------|

⁶⁸

[http://www.datadictionary.nhs.uk/data_dictionary/data_field_notes//legal_status_classification_code_\(at_census_date\)_de.asp?](http://www.datadictionary.nhs.uk/data_dictionary/data_field_notes//legal_status_classification_code_(at_census_date)_de.asp?)

⁶⁹ http://www.datadictionary.nhs.uk/data_dictionary/attributes//legal_status_classification_code_de.asp?

⁷⁰ http://www.datadictionary.nhs.uk/data_dictionary/attributes/m/men/mental_category_de.asp?

| | | |
|---|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Y | Patient's Identity is Unknown | Used to indicate to the receiving system that it should not attempt to "fuzzy" match or associate this information to an existing person, only exact patient identifier matching. |
| N | Patient's Identity is known. | Used to indicate to the receiving system that normal "fuzzy" matching logic and associations to existing persons should occur. |

If value is blank in the message it means Patient's Identity is known.

4.125 User Table ZU051– Intended Management

Used within segment:

ZU7 – UK Additional Data – Labour & Delivery (HL7 ref A.4.3.6)

Refer to HL7 Chapter:

A.4.3.1.2

| Value | Description | Notes |
|-------|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| 1 | PATIENT to stay in hospital for at least one night | |
| 2 | PATIENT not to stay in hospital overnight | |
| 3 | PATIENT to be admitted for a planned sequence of admissions each involving at least one overnight stay | |
| 4 | PATIENT to be admitted for a planned sequence of admissions which do not involve an overnight stay | |
| 5 | PATIENT to be admitted regularly for a planned sequence of nights who returns home for the remainder of the 24 hour period | |
| 8 | Not applicable | |
| 9 | Not known | To be used when data enterer has tried to get information but it is not known for any reason. |

The values above are sourced from the NHS Data Model and Dictionary attribute Intended Management⁷¹.

4.126 User Table ZU052– Location Type

Used within segment:

ZU3 – UK Additional Data – Attendance Details (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.3.1

| Value | Description | Notes |
|-------|---------------------------------------------------------------------|-------|
| 1 | Client's or Patient's Home | |
| 2 | Health Centre | |
| 3 | GP Practice premises other than Health Centre | |
| 4 | Ward on NHS Hospital Site | |
| 6 | Hospice | |
| 7 | Other Voluntary or Private Hospital or Nursing Home | |
| 8 | Group Home managed by the NHS | |
| 9 | Group Home managed by Local Authority | |
| 10 | Group Home managed by Voluntary or Private Agents | |
| 11 | Other Residential Care Homes managed by Local Authority | |
| 12 | Other Residential Care Homes managed by Voluntary or Private Agents | |
| 13 | NHS Day Care Facility on NHS Hospital Site | |
| 14 | NHS Day Care Facility on Other Sites | |
| 15 | Day Centre managed by Local Authority | |
| 16 | Day Centre managed by Voluntary or Private Agents | |

⁷¹ http://www.datadictionary.nhs.uk/data_dictionary/attributes/i/int/intended_management_de.asp?

| Value | Description | Notes |
|-------|-----------------------------------------------------------------------------------|-------|
| 17 | NHS Consultant Clinic Premises on a NHS Hospital site | |
| 18 | NHS Consultant Clinic Premises off a NHS Hospital site | |
| 19 | Health Clinic managed by the NHS | |
| 20 | Health Clinic managed by Voluntary or Private Agents | |
| 21 | Resource Centre on NHS Hospital Site | |
| 22 | Resource Centre managed by the NHS off NHS Hospital Site | |
| 23 | Resource Centre managed by Local Authority | |
| 24 | Resource Centre managed by Voluntary or Private Agents | |
| 25 | Professional Staff Group Department on NHS Hospital Site | |
| 26 | Professional Staff Group Department managed by the NHS off NHS Hospital Site | |
| 27 | Professional Staff Group Department managed by Local Authority | |
| 28 | Professional Staff Group Department managed by Voluntary or Private Agents | |
| 29 | Educational Establishment Premises managed by Local Authority or Grant Maintained | |
| 30 | Educational Establishment Premises managed by Voluntary or Private Agents | |
| 31 | Other Health or Local Authority Facility on NHS Hospital Site | |
| 32 | Other Health or Local Authority Site managed by the NHS off NHS Hospital Site | |
| 33 | Other Health or Local Authority Site managed by Local Authority | |

| Value | Description | Notes |
|-------|-----------------------------------------------------------------------------|-------|
| 34 | Other Health or Local Authority Site managed by Voluntary or Private Agents | |
| 35 | Prison Department Establishments | |
| 36 | Public Place or Street, or Police Station | |
| 37 | Other locations not classified elsewhere | |
| 38 | NHS Nursing Home | |
| 39 | Other Residential Care Homes managed by the NHS | |

The values above are sourced from the NHS Data Model and Dictionary Supporting Information Location Type Codes⁷².

4.127 User Table ZU053– Broad Patient Group

Used within segment:

ZU3 – UK Additional Data – Attendance Details (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.3.11

| Value | Description | Notes |
|-------|-------------------------------------|-------|
| 1 | General patients | |
| 2 | Younger physically disabled | |
| 3 | Neonates | |
| 4 | Maternity patients | |
| 5 | Patients with mental illness | |
| 6 | Patients with learning disabilities | |

The values above are sourced from the NHS Data Model and Dictionary attribute Broad Patient Group Code⁷³.

⁷² http://www.datadictionary.nhs.uk/web_site_content/supporting_information/location_type_codes.asp?

⁷³ http://www.datadictionary.nhs.uk/data_dictionary/attributes/b/bre/broad_patient_group_code_de.asp?

4.128 User Table ZU054 – First Attendance

Used within segment:

ZU3 – UK Additional Data – Attendance Details (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.3.12

| Value | Description | Notes |
|-------|-------------------------------------------------------|-------|
| 1 | First attendance face to face | |
| 2 | Follow-up attendance face to face | |
| 3 | First telephone or telemedicine consultation | |
| 4 | Follow-up telephone or telemedicine consultation | |
| 5 | Referral To Treatment Clock Stop Administrative Event | |

The values above are sourced from the NHS Data Model and Dictionary attribute First Attendance⁷⁴.

4.129 User Table ZU055– Waiting List Type

Used within segment:

ZU4 – UK Additional Data – Waiting List (HL7 ref A.4.3.3)

Refer to HL7 Chapter:

A.4.3.4.13

| Value | Description | Notes |
|-------|--------------------------|-------|
| 1 | Elective Admission List | |
| 2 | Out-Patient Waiting List | |

The values above are sourced from the NHS Data Model and Dictionary attribute Waiting List Type⁷⁵.

4.130 User Table ZU056 - DCR Consent to Share Indicator

Used within datatype:

ZU8.2 – Miscellaneous UK Data (HL7 ref A.4.3.8)

⁷⁴ http://www.datadictionary.nhs.uk/data_dictionary/attributes/f/first_attendance_de.asp?

⁷⁵ http://www.datadictionary.nhs.uk/data_dictionary/attributes/w/waiting_list_type_de.asp?

Refer to HL7 UK v2.4 A3 Chapter:

A.4.3.8.2

| Value | Description | Notes |
|-------|------------------------|-------|
| 1 | Express consent | |
| 2 | Express dissent | |
| 3 | Consent Status Unknown | |

If no value is present in the message, it implies consent.

Any information which flows across an organisational boundary **MUST** be agreed with the patient before transmission. This field is used to transmit a code indicating that the patient has agreed to share detailed care record information.

This table originates from the PDS data item, Consent to Share Indicator.

4.131 User Table ZU057 - Location Hiding

Used within segment:

ZU8.4 – Miscellaneous UK Data (HL7 ref A.4.3.8)

Refer to HL7 UK v2.4 A3 Chapter:

A.4.3.8.5

| Value | Description | Notes |
|-------|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2 | National S-flag determines location hiding | Please refer to information on the PDS data item, Information Sensitivity Indicator. |
| 1 | Local location hiding | <p>Toolkit Applications MUST offer the ability to “shield” patient location details to protect the patient. This feature might be used, for example, to protect the location details of an abused spouse. It is intended to offer a reasonable but limited level of protection, while still allowing essential care processes to continue.</p> <p>Typically a shielding capability will involve blanking / obscuring / protecting location-related fields including:</p> <ul style="list-style-type: none"> • Addresses • Telephone numbers • Email addresses |

| Value | Description | Notes |
|-------|--------------------|-----------------------------------------------------------------------------------------------|
| | | <ul style="list-style-type: none"> • Next of kin details • GP details |
| 0 | No location hiding | |

This flag allows the local system to indicate what scope of location hiding it will use when communicating with other toolkit connected systems.

4.132 User Table ZU058 - SCR Consent to Store

Used within segment:

ZU8.3 – Miscellaneous UK Data (HL7 ref A.4.3.8)

Refer to HL7 UK v2.4 A3 Chapter:

A.4.3.8.3

| Value | Description | Notes |
|-------|----------------------------------------------------------------------------------------|-------|
| Yes | Patient need not be asked every time for permission to view their Summary Care Record. | |
| No | Patient does not wish to have a Summary Care Record. | |

If no value is present in the message patient must be asked every time for permission to view their summary care record.